



Rang[®]

PREMIUM MDF SLATS


CANIS[®]




FLUTES




SLATS



RIBBED



PEAKS



BLOCKS



RC 1001

RC 1002

RC 1003

RC 1004

RC 1006

RC 1008

RC 1009

RC 1010

RC 1012

RC 1013

RC 1014

RC 1015

RC 1016

RC 1018

RC 1019

RC 1020

RC 1028

RC 1029

RC 1030

RC 2001

RC 2002

RC 2003

RC 2005

RC 2006

RC 2007

RC 2008

RC 2009

RC 2010



TOUCH ANY CODE TO EXPLORE

CANIS[®]

PREMIUM MDF SLATS

INSTALLATION


Panel the wall with either aluminum channels or plywood as the base.

Fixing the panel: Drill screws on the lower side of the first panel at intermittent distances.

Overlap the upper side of the second panel on the first panel.

Again drill the screws on the lower side of the second panel.

As we repeat the process, screws are hidden and we achieve perfectly consistent panelling.





MANUFACTURING PROCESS

- Refining raw wood fibers for quality.
- Gluing, pressing and calibrating into uniform panels.
- Routing wooden panels into desired designs.
- Applying textured PVC finishes on top layer.

SPECIFICATIONS

CORE	: Engineered Wood (HMR-Grade MDF)
FINISH	: Textured PVC Membrane
HEIGHT	: 2900 mm (9.5ft)
WIDTH	: 120 mm
THICKNESS	: 18 mm

CERTIFICATE

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO.087, DMT VENTURE CAPITAL, CHANDRASEKHARAPUR POLICE STATION,
HYDERABAD, TELANGANA, INDIA 500 037.

TEST REPORT

Issued to: **M/s.Bhandari Agencies Pvt. Ltd.**
14-1-395/L, Afzalpura, Hyderabad.

Test Report No: **VMS/R/23-24/0140**
Test Report Date: **12.05.2023**

SAMPLE PARTICULARS Page 1 of 5

Sample Details	Ring Core Premium RDP Skits	Reference Number	NA
Sample Description	18mm X 120mm X 2910mm	Reference Date	NA
Quantity	1 set	Date of Receipt	08.05.2023
Packing Details	Good	Date of Testing	09.05.2023
Test Required	Physical Properties	Date of Completion	12.05.2023

Test Results

Sl. No	Test Parameter	Units	Specifications as per IS 12406 - Grade 1	Results
1	Dimensional Verification			
(i)	Height	mm	2809 ± 6.7	2900
(k)	Width	mm	310 ± 0.36	320.04
(B)	Thickness	mm	-	18.02
(v)	Slot width	mm	-	12.00
(v)	Edge Irregularities	mm/cm	2700/18 Max	0.06
(v)	Squareness	mm/cm	2700/18 Max	0.01
2	Density	kg/m ³	609 - 900	730

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board
Test method: 12406, IS 2386, Customer Specification, VMS/RECH/SOP/02
Disclaimer - 1: This report relates only to the particular sample submitted for test.
Disclaimer - 2: Sampling is done by customer.

END OF THE REPORT

Reviewed and Authorized By

GOTIN REGISTERED F.NO.6-106/A, SHREENIVASAYAL VAMAYANAGAR, DALABAD, HYDERABAD, TELANGANA
PH.NO. 0030 181 727, E-MAIL ID: info@virtuemeta-sol.com VMS/UT/ETK Avert Ex/23

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO.087, DMT VENTURE CAPITAL, CHANDRASEKHARAPUR POLICE STATION,
HYDERABAD, TELANGANA, INDIA 500 037.

TEST REPORT

Issued to: **M/s.Bhandari Agencies Pvt. Ltd.**
14-1-395/L, Afzalpura, Hyderabad.

Test Report No: **VMS/R/23-24/0140**
Test Report Date: **12.05.2023**

SAMPLE PARTICULARS Page 2 of 5

Sample Details	Ring Core Premium RDP Skits	Reference Number	NA
Sample Description	18mm X 120mm X 2910mm	Reference Date	NA
Quantity	1 set	Date of Receipt	08.05.2023
Packing Details	Good	Date of Testing	09.05.2023
Test Required	Moisture Content, Flammability	Date of Completion	12.05.2023

Test Results

Sl. No	Test Parameter	Units	Specifications as per IS 12406 - Grade 1	Results
1	Moisture Content	%	5 - 10	7.50
2	Flammability test			The given material is subjected to flammability test found free from fire catching and propagation

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board
Test method: 12406, IS 2386, Customer Specification, VMS/RECH/SOP/02
Disclaimer - 1: This report relates only to the particular sample submitted for test.
Disclaimer - 2: Sampling is done by customer.

END OF THE REPORT

Reviewed and Authorized By

GOTIN REGISTERED F.NO.6-106/A, SHREENIVASAYAL VAMAYANAGAR, DALABAD, HYDERABAD, TELANGANA
PH.NO. 0030 181 727, E-MAIL ID: info@virtuemeta-sol.com VMS/UT/ETK Avert Ex/23

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO.087, DMT VENTURE CAPITAL, CHANDRASEKHARAPUR POLICE STATION,
HYDERABAD, TELANGANA, INDIA 500 037.

TEST REPORT

Issued to: **M/s.Bhandari Agencies Pvt. Ltd.**
14-1-395/L, Afzalpura, Hyderabad.

Test Report No: **VMS/R/23-24/0140**
Test Report Date: **12.05.2023**

SAMPLE PARTICULARS Page 3 of 5

Sample Details	Ring Core Premium RDP Skits	Reference Number	NA
Sample Description	18mm X 120mm X 2910mm	Reference Date	NA
Quantity	1 set	Date of Receipt	08.05.2023
Packing Details	Good	Date of Testing	09.05.2023
Test Required	Screw Withdrawal Strength	Date of Completion	12.05.2023

Test Results

Sl. No	Test Parameter	Units	Specifications as per IS 12406 - Grade 1	Results
1	Screw withdrawal strength			
(i)	Face	N	1500 N	1510
(v)	Edge	N	1250 N	1300

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board
Test method: 12406, IS 2386, Customer Specification, VMS/RECH/SOP/02
Disclaimer - 1: This report relates only to the particular sample submitted for test.
Disclaimer - 2: Sampling is done by customer.

END OF THE REPORT

Reviewed and Authorized By

GOTIN REGISTERED F.NO.6-106/A, SHREENIVASAYAL VAMAYANAGAR, DALABAD, HYDERABAD, TELANGANA
PH.NO. 0030 181 727, E-MAIL ID: info@virtuemeta-sol.com VMS/UT/ETK Avert Ex/23

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO.087, DMT VENTURE CAPITAL, CHANDRASEKHARAPUR POLICE STATION,
HYDERABAD, TELANGANA, INDIA 500 037.

TEST REPORT

Issued to: **M/s.Bhandari Agencies Pvt. Ltd.**
14-1-395/L, Afzalpura, Hyderabad.

Test Report No: **VMS/R/23-24/0140**
Test Report Date: **12.05.2023**

SAMPLE PARTICULARS Page 4 of 5

Sample Details	Ring Core Premium RDP Skits	Reference Number	NA
Sample Description	18mm X 120mm X 2910mm	Reference Date	NA
Quantity	1 set	Date of Receipt	08.05.2023
Packing Details	Good	Date of Testing	09.05.2023
Test Required	Modulus of Elasticity	Date of Completion	12.05.2023

Test Results

Sl. No	Test Parameter	Units	Specifications as per IS 12406 - Grade 1	Results
1	Modulus of Elasticity			
(i)	Along the grain direction (Average)	MPa	2800 Min	2920
(v)	Across the grain direction (Average)	MPa	-	2360

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board
Test method: 12406, IS 2386, Customer Specification, VMS/RECH/SOP/02
Disclaimer - 1: This report relates only to the particular sample submitted for test.
Disclaimer - 2: Sampling is done by customer.

END OF THE REPORT

Reviewed and Authorized By

GOTIN REGISTERED F.NO.6-106/A, SHREENIVASAYAL VAMAYANAGAR, DALABAD, HYDERABAD, TELANGANA
PH.NO. 0030 181 727, E-MAIL ID: info@virtuemeta-sol.com VMS/UT/ETK Avert Ex/23

VIRTUE META-SOL
MATERIAL SOLUTIONS
SHOP NO.087, DMT VENTURE CAPITAL, CHANDRASEKHARAPUR POLICE STATION,
HYDERABAD, TELANGANA, INDIA 500 037.

TEST REPORT

Issued to: **M/s.Bhandari Agencies Pvt. Ltd.**
14-1-395/L, Afzalpura, Hyderabad.

Test Report No: **VMS/R/23-24/0140**
Test Report Date: **12.05.2023**

SAMPLE PARTICULARS Page 5 of 5

Sample Details	Ring Core Premium RDP Skits	Reference Number	NA
Sample Description	18mm X 120mm X 2910mm	Reference Date	NA
Quantity	1 set	Date of Receipt	08.05.2023
Packing Details	Good	Date of Testing	09.05.2023
Test Required	Modulus of rupture	Date of Completion	12.05.2023

Test Results

Sl. No	Test Parameter	Units	Specifications as per IS 12406 - Grade 1	Results
1	Modulus of Rupture			
(i)	Along the grain direction (Average)	MPa	38 Min	29.10
(v)	Across the grain direction (Average)	MPa	-	22.34

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board
Test method: 12406, IS 2386, Customer Specification, VMS/RECH/SOP/02
Disclaimer - 1: This report relates only to the particular sample submitted for test.
Disclaimer - 2: Sampling is done by customer.

END OF THE REPORT

Reviewed and Authorized By

GOTIN REGISTERED F.NO.6-106/A, SHREENIVASAYAL VAMAYANAGAR, DALABAD, HYDERABAD, TELANGANA
PH.NO. 0030 181 727, E-MAIL ID: info@virtuemeta-sol.com VMS/UT/ETK Avert Ex/23



Rang[®]
LET'S LIVE BEAUTIFUL


INDEX **FLUTES** SLATS RIBBED PEAKS BLOCKS



RC 1030 FLUTED FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM


Thickness : 18 MM





RC 2008 FLUTED STATUARIO


Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





RC 1019 FLUTED WENGE

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1028 FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1008 EUROPEAN CHERRY

Size : 2900 MM (9.5ft) X 120 MM


Thickness : 18 MM





RC 1009 BUBINGA

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1010 CLASSIC WALNUT

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1012 SAMARI OAK

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 2001 GOLDEN TEAK

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 2002 ARMANI OAK

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 2003 MOCHA

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 2005 JURASSIC


Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





RC 2006 STATUARIO

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1001 SUGAR

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1002 SAGE

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1003 PIGEON

Size : 2900 MM (9.5ft) X 120 MM


Thickness : 18 MM





RC 1004 ALABASTER


Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang®
LET'S LIVE BEAUTIFUL

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



RC 1006 TEAL

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1029 RIBBED FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM





Rang
LET'S LIVE BEAUTIFUL


INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1018 RIBBED EUROPEAN CHERRY

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1016 RIBBED WALNUT

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1015 RIBBED OAK

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 2007 VINTAGE OAK

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang[®]
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1014 RIBBED PIGEON

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



RC 1013 RIBBED SUGAR

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS RIBBED **PEAKS** BLOCKS



RC 1020 SUGAR PEAKS

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS RIBBED PEAKS **BLOCKS**



RC 2009 SMOKED CARICIA

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM






Rang
LET'S LIVE BEAUTIFUL

INDEX FLUTES SLATS RIBBED PEAKS **BLOCKS**



RC 2010 CARICIA

Size : 2900 MM (9.5ft) X 120 MM
Thickness : 18 MM





Rang[®]

LET'S LIVE BEAUTIFUL.

OUR RANGE OF PRODUCTS

BERN[®]
DECORATIVE PVC LAMINATE

CANIS[®]
PREMIUM MDF SLATS

MASKARA[®]
6H ACRYLIC LAMINATE

Charco[®]
CHARM
DECORATIVE CHARCOAL PANELS

GROOVE[®]
SEAMLESS PLANKS

NAZRANA[™]
ENGRAVED ACRYLIC

OHHO[®]
EXCLUSIVE DECORATIVE LAMINATES

ART BY ONE[™]
DECORATIVE LOUVERS

LITIA[™]
FLUTED ACRYLIC

LAMI 8
INNER LAMINATES



rangdecor.in

ONIT[™]
SEAMLESS CHARCOAL

2024 - 25



SCREWABLE &
NAILABLE



QUALITY
APPROVED



100%
RECYCLABLE



EXTRA
STRENGTH



100%
CALIBRATED

Disclaimer : There can be colour variation in material from different batches and it is advised to use same batch.
Avoid from direct sunlight it causes yellowness on product.