

KITCHEN FITTINGS
by
OZONE[®]
MAKES THE
WORLD GO **O**



KITCHEN FITTINGS



WARDROBE FITTINGS



BED FITTINGS

COMPLETE RANGE OF FITTINGS
KITCHEN | FURNITURE | WARDROBE




AUTOMATED STATE-OF-THE-ART MANUFACTURING FACILITIES


Our **manufacturing** units are equipped with the latest CNC Machines, Hi-Tech Laser Machines, Water-Jet Cutting Machines, and Automatic Polishing and Robotic Welding Machines to deliver consistent finishes. All units have unique operations that work together continuously at maximum efficiency. Each product is checked for quality and perfection, ensuring the highest level of customer satisfaction.




VMC (Vertical
Machine Centre)



CNC Punching
Machine



Polishing Machine



Welding Centre

Glass Fittings

Kitchen & Furniture
Fittings

Digital Safes

Aluminium & uPVC
Doors & Windows

Door Hardware

Glass Railing
Systems



Ozone continues with the concept of '**Total Vision**' to create transparent & elegant commercial spaces. Every fitting in our Architectural Glass Hardware range is designed to meet the concept of '**Total Vision**'.

Ozone is a young, dynamic company offering Architectural Hardware Solutions through a wide range of standard and customized products. A solution-centric approach has enabled Ozone to grow from a startup to one of the leading brands in the Architectural Hardware Industry. Globally, the Company has made its footprint by supplying goods to almost 40+ countries. With a Global Perspective in mind right from its inception, the Company has ensured each product has the quality and certifications so that they can be offered to all markets.

Our state-of-the-art Manufacturing Facilities backed by design capability enable us to provide other OEM services in India and Overseas. We can offer stainless steel OEM manufacturing services for cast, machined & sheet metal components in all grades of stainless steel and other metals.

MANUFACTURING GLASS

BY OZONE

Toughened Glass

Toughened
Laminated Glass

DGU Glass



CNC Cutting
Machine



Double Edger With
Washing Machine



Single Edger &
Washing



Tempering
Furnace



IGU Line



Lay-up Room-
Lamination



Cluster-3
Secunderabad, Telangana
India



Cluster-2
Ghiloth,
Rajasthan Industrial Area,
India

Manufacturing Cluster 3, Secunderabad, Telangana

Ozone has partnered with Modern Safety Glass Pvt. Ltd., operating under the HERCULES brand, a leading glass processing company. This strategic association strengthens our manufacturing capabilities and enhances our presence across South India.

In addition, Ozone has established in-house glass processing facilities at Manufacturing Cluster 2, Unit 4, Ghiloth.

With two glass processing units now operational, Ozone manufactures a wide range of products, including Toughened Glass, Toughened Laminated Glass, DGU Glass, and more. This expansion marks Ozone's evolution from a hardware brand to a comprehensive end-to-end solutions provider.



Thoughtful Solutions Trusted Spaces

Since 1999, Ozone has been more than a hardware brand, it has been a trusted partner in shaping modern living. From creating high-quality locks to becoming a leader in architectural hardware, our journey has been defined by innovation, durability, and design excellence.

Over the last 26+ years, Ozone has:

1. Set new benchmarks in architectural hardware
2. Expanded into UPVC & Aluminium Doors and Windows and Glass Processing Units
3. Built a reputation for quality you can trust and designs that transform spaces

Today, as we celebrate this milestone, we stand proud with state-of-the-art manufacturing facilities, a global outlook, and a vision to continue transforming everyday living with innovation, quality and convenience.

**26+ Years of Quality.
Convenience.
Innovation**

26+
YEARS

6000+
PRODUCTS

45+
COUNTRIES

Ozone Experience Centres

Explore the new world of Ozone with a diverse range of products, including glass fittings, fingerprint locks & safes, door hardware, partition systems, kitchen & furniture fittings, shower enclosures, wardrobes, automatic doors, and more-all under one roof!

Ozone empowers architects, builders, and homeowners to touch, feel, and explore each

product firsthand. With a focus on quality and customization, our vast range of products and solutions can be tailored to meet specific needs and requirements. We ensure every solution meets and exceeds expectations, providing the perfect blend of innovation, reliability & aesthetics.

Visit us and experience the future with Ozone!



NEW DELHI

Mehrauli-Gurgoan Road,
Opp. Metro Pillar No. 94, Gadaipur,
Sector - 28, New Delhi 110030



BENGALURU

Building No. 62, Asha Pearl,
100 Feet Rd, Defence Colony, Indiranagar,
Bengaluru, Karnataka 560038



JAIPUR

S9, S10, New Aatish Market,
Metro Pillar Number 46, Near
HDFC Bank, Jaipur,
Rajasthan 302020



MOHALI

259-260, Ground Floor,
Mohali City Center-2, Block F,
SAS Nagar, Gmada Aerocity,
Sahibzada Ajit Singh Nagar,
Punjab 140306

OUR PRODUCT RANGE

For over two decades, Ozone has offered Architectural Hardware Solutions with a diversified portfolio of more than 6000 products. These products are tested and certified internationally for quality, functionality, and performance.

ARCHITECTURAL HARDWARE

GLASS FITTINGS



AUTOMATIC DOORS



SHOWER ENCLOSURES



GLASS RAILING SYSTEMS



GLASS PARTITION SYSTEMS

SLIM FRAME DOORS



K-LITE PARTITION SYSTEMS



DEMOUNTABLE PARTITION SYSTEMS



OUTLINER SERIES



DOOR HARDWARE



**MAIN DOOR
LOCKS**



**DOOR
CLOSERS**



**DOOR
HANDLES**



**CONCEALED
HINGES**



KITCHEN & FURNITURE FITTINGS

**KITCHEN &
FURNITURE
FITTINGS**



**WARDROBE
FITTINGS**



FINGERPRINT SAFES & LOCKS

**DIGITAL
SAFES**



**FINGERPRINT
LOCKS**




DOORS & WINDOWS

**uPVC &
ALUMINIUM
DOORS**



**uPVC &
ALUMINIUM
WINDOWS**



PROCESSED GLASS

GLASS



CONTENT

1

DRAWER
SYSTEM 01-05



2

DRAWER
ACCESSORIES 06-07



3

DRAWER
SLIDES 08-12



4

FURNITURE
HINGES 13-16



5

KITCHEN
ACCESSORIES 17-26



6

LIFT-UP
MECHANISMS 27-28



7

ALUMINIUM
PROFILES 29-40



8

WARDROBE
SLIDING SYSTEMS 41-50



9

GLASS
WARDROBE 51-53



10

WARDROBE
ACCESSORIES 54-58



11

LAUNDRY
BASKET 59



12

BED
FITTINGS 60-66



13

CONNECTING
FITTINGS 67-68



14

FURNITURE LOCKS
(DIGITAL & MECHANICAL) 69-76



15

DESK
FITTINGS 77-83



16

KITCHEN WIRE BASKETS
- SPEEDY SERIES 84-90



TALL
UNIT

BI-FOLD LIFT-UP
SYSTEM

90° LIFT-UP
SYSTEM

WICKER
BASKETS

DRAWER
SLIDES

DRAWER
SYSTEMS

PULL-OUT TABLE
EXTENTION

LED
SKIRTING

ALUMINIUM
PROFILES








SLIM PRO

ERGOTEC DRAWER SYSTEM

SLIM PRO ERGOTEC GLASS WITH LED DRAWER SYSTEM New**Key Features:**

- Slim Pro Ergotec with glass and LED-lit side panels.
- Full-extension drawer system ensures smooth and consistent closure.
- Undermount slides equipped with Dual-Synchro and Slow-Motion (FR) damping technology for smooth and controlled movement
- In-built sensor activates LED during drawer movement
- Includes an built-in battery adaptor for LED power supply
- Equipped with integrated drawer tilt adjustment feature
- Flexible system that is easy to assemble and disassemble

Specifications:

- Side Panel Height: S(84mm)/ M(116mm)/ L(167mm)
- 3D Adjustment: Height: ± 2 mm, Side: ± 1.5 mm, Tilt: ± 1 mm
- Available Depth: 500 & 550mm
- Load Carrying Capacity: 35kg
- Supplied along with battery adaptor & wires
- Side Panel Design: Glass with LED
- Finish: Anthracite Grey



Scan QR for
Installation Video

Note: Other depths available against request

Product Code
OE-DWDS-GL-LED-S 500MM ANTHGREY
OE-DWDS-GL-LED-S 550MM ANTHGREY
OE-DWDS-GL-LED-M 500MM ANTHGREY
OE-DWDS-GL-LED-M 550MM ANTHGREY
OE-DWDS-GL-LED-L 500MM ANTHGREY
OE-DWDS-GL-LED-L 550MM ANTHGREY



SOFT
CLOSE



FULL
EXTENSION




WT. CARRYING
CAPACITY



BUILT-IN
LED & ADAPTOR



3D
ADJUSTMENT

SLIM PRO ERGOTEC GLASS DRAWER SYSTEM New**Key Features:**

- Slim Pro Ergotec with glass side panels
- Full-extension drawer system ensures smooth and consistent closure.
- Undermount slides equipped with Dual-Synchro and Slow-Motion (FR) damping technology for smooth and controlled movement
- Equipped with integrated drawer tilt adjustment feature
- Flexible system that is easy to assemble and disassemble

Specifications:

- Side Panel Height: S(84mm)/ M(116mm)/ L(167mm)
- 3D Adjustment: Height: ± 2 mm, Side: ± 1.5 mm, Tilt: ± 1 mm
- Available Depth: 500 & 550mm
- Load Carrying Capacity: 35kg
- Side Panel Design: Glass
- Finish: Anthracite Grey

Note: Other depths available against request



Scan QR for
Installation Video

Product Code
OE-DWDS-GL-S 500MM ANTHGREY
OE-DWDS-GL-S 550MM ANTHGREY
OE-DWDS-GL-M 500MM ANTHGREY
OE-DWDS-GL-M 550MM ANTHGREY
OE-DWDS-GL-L 500MM ANTHGREY
OE-DWDS-GL-L 550MM ANTHGREY



SOFT
CLOSE



FULL
EXTENSION



WT. CARRYING
CAPACITY



3D
ADJUSTMENT

SLIM PRO ERGOTEC DRAWER SYSTEM



Key Features:

- Slim Pro Ergotec drawer system in Small/ Medium/ Large/ Extra large heights
- Full extension, synchronized & soft-close heavy-duty undermount slides.
- High storage capacity
- Dual synchro & slow motion damping technology
- Equipped with integrated drawer tilt adjustment feature
- Flexible system, easy to assemble and disassemble

Specifications:

- Side Panel Height: S(84mm)/ M(116mm)/ L(167mm)/ XL(199mm)
- 3D Adjustment: Height: $\pm 2\text{mm}$, Side: $\pm 1.5\text{mm}$, Tilt: $\pm 1\text{mm}$
- Available Depth: 300-600mm
- Load Carrying Capacity: 35kg
- Side Panel Design: Metal
- Finish: Anthracite Grey



Scan QR for
Installation Video



SOFT
CLOSE



FULL
EXTENSION



35 KG
WT. CARRYING
CAPACITY



3D
ADJUSTMENT



Product Code

OE-DWDS-PRO-S 300MM ANTHGREY
OE-DWDS-PRO-S 350MM ANTHGREY
OE-DWDS-PRO-S 400MM ANTHGREY
OE-DWDS-PRO-S 450MM ANTHGREY
OE-DWDS-PRO-S 500MM ANTHGREY
OE-DWDS-PRO-S 550MM ANTHGREY
OE-DWDS-PRO-S 600MM ANTHGREY
OE-DWDS-PRO-M 300MM ANTHGREY
OE-DWDS-PRO-M 350MM ANTHGREY
OE-DWDS-PRO-M 400MM ANTHGREY
OE-DWDS-PRO-M 450MM ANTHGREY
OE-DWDS-PRO-M 500MM ANTHGREY
OE-DWDS-PRO-M 550MM ANTHGREY
OE-DWDS-PRO-M 600MM ANTHGREY
OE-DWDS-PRO-L 300MM ANTHGREY
OE-DWDS-PRO-L 350MM ANTHGREY
OE-DWDS-PRO-L 400MM ANTHGREY
OE-DWDS-PRO-L 450MM ANTHGREY
OE-DWDS-PRO-L 500MM ANTHGREY
OE-DWDS-PRO-L 550MM ANTHGREY
OE-DWDS-PRO-L 600MM ANTHGREY
OE-DWDS-PRO-XL 400MM ANTHGREY
OE-DWDS-PRO-XL 450MM ANTHGREY
OE-DWDS-PRO-XL 500MM ANTHGREY
OE-DWDS-PRO-XL 550MM ANTHGREY
OE-DWDS-PRO-XL 600MM ANTHGREY

ULTRA SLIM ERGOTEC



Key Features:

- Ultra Slim Ergotec drawer system with Small/ Medium/ Large heights
- Fitted with synchronized undermount slides, offering a partial extension for efficient access
- High storage capacity
- Supplied along with locking catches
- Uniquely designed side panels allow for seamless integration with bottom panels, even without edge binding

Specifications:

- Load Carrying Capacity: 25Kg
- Ultra Slim, Single Metal Wall
- Available Depth: 450/ 500/ 550mm
- Extension Type: Partial Extension
- Drawer Opening: 80%
- Side Panel Height: S(76mm)/ M(116mm)/ L(148mm)
- Finish: Anthracite Grey



SOFT
CLOSE



PARTIAL
EXTENSION



WT. CARRYING
CAPACITY



SPACE
OPTIMIZATION



CYCLES
TESTED



48 HOUR
SALT SPRAY TESTED



Scan QR for
Installation Video



Product Code

OE-SWDS-USL-S 450MM ANTHGREY

OE-SWDS-USL-S 500MM ANTHGREY

OE-SWDS-USL-S 550MM ANTHGREY

OE-SWDS-USL-M 450MM ANTHGREY

OE-SWDS-USL-M 500MM ANTHGREY

OE-SWDS-USL-M 550MM ANTHGREY

OE-SWDS-USL-L 450MM ANTHGREY

OE-SWDS-USL-L 500MM ANTHGREY

OE-SWDS-USL-L 550MM ANTHGREY

SLIM PRO ERGOTEC INNER DRAWER



**INNER DRAWERS
WITH METAL
FRONT PANEL**

Product Image	Product Code (FOR ERGOTEC S SIZE)	Description
	OE-DWDS-ID-FBM-S STD ANTHGREY	Front Connector
	OE-DWDS-ID-MFP-S 2000MM ANTHGREY	Front Panel
Product Image	Product Code (FOR ERGOTEC M SIZE)	Description
	OE-DWDS-ID-FBM-M STD ANTHGREY	Front Connector
	OE-DWDS-ID-MFP-SR-M 2000MM ANTHGREY	Front Panel, Square Rail
Product Image	Product Code (FOR ERGOTEC L SIZE)	Description
	OE-DWDS-ID-FBM-L STD ANTHGREY	Front Connector
	OE-DWDS-ID-MFP-SR-L 2000MM ANTHGREY	Front Panel, Square Rail

Note: Purchase 84mm/ 116mm/ 167mm drawer system as per required inner drawer height



**INNER DRAWERS
WITH GLASS
FRONT PANEL**

Product Image	Product Code (FOR ERGOTEC S SIZE)	Description
	OE-DWDS-ID-FBG-S STD ANTHGREY	Front Connector
	OE-DWDS-ID-GSP 2000MM ANTHGREY	Front Panel
Product Image	Product Code (FOR ERGOTEC M SIZE)	Description
	OE-DWDS-ID-FBG-M STD ANTHGREY	Front Connector
	OE-DWDS-ID-GSP 2000MM ANTHGREY	Front Panel
Product Image	Product Code (FOR ERGOTEC L SIZE)	Description
	OE-DWDS-ID-FBG-L STD ANTHGREY	Front Connector
	OE-DWDS-ID-GSP 2000MM ANTHGREY	Front Panel

Note: 1. Purchase 84mm/ 116mm/ 167mm drawer system as per required inner drawer height.
2. Front glass to be purchased separately.

ERGOTEC SQUARE RAIL



Note: Supplied along with back and front connector

PVC CUTLERY TRAY



OK-CT-N 450MM MG
Size (mm):
380 x 485 x 50 (WxDxH)



OK-CT-N 500MM MG
Size (mm):
430 x 485 x 50 (WxDxH)



OK-CT-N 600MM MG
Size (mm):
530 x 485 x 50 (WxDxH)



OK-CT-N 700MM MG
Size (mm):
640 x 485 x 50 (WxDxH)



OK-CT-N 800MM MG
Size (mm):
740 x 485 x 50 (WxDxH)



OK-CT-N 900MM MG
Size (mm):
830 x 485 x 50 (WxDxH)


Key Features:

- High-quality ABS and food-grade construction
- Side buffer with markings for precise fitting
- Grey finish to complement our Ergotec Drawer System
- Ideal for storing kitchen cutlery
- Designed for easy removal and cleaning



Scan QR for
Product Video

DRAWER MAT



Product Code

OK-ASM 500x5000MM GREY

Key Features:

- PVC Drawer Mat for retrofit applications
- Prevents items from sliding, making the drawer base anti-skid
- Protects the drawer bottom from impacts and scratches
- Customizable to fit any drawer width

Specifications:

- Depth: 500mm
- Width: 5000mm

SS CUTLERY TRAY



OK-CT-SS-01 500MM SSS
Size (mm) : 103 x 472 x 65 (WxDxH)



OK-CT-SS-02 500MM SSS
Size (mm) : 280 x 472 x 65 (WxDxH)



OK-CT-SS-03 500MM SSS
Size (mm) : 380 x 472 x 65 (WxDxH)



OK-CT-SS-04 500MM SSS
Size (mm) : 535 x 472 x 65 (WxDxH)



OK-CT-SS-05 500MM SSS
Size (mm) : 810 x 472 x 65 (WxDxH)

Key Features:

- Made of Stainless Steel 304 with plastic end covers
- Convenient way of storing cutlery
- Space saving with elegant design
- Carcass External Depth: 500mm
- Various arrangements are possible in a drawer





Scan QR for
Product Video

ADJUSTABLE DISH ORGANIZERS



OK-APH-SS STD GREY
Adjustable Dish Organizers




Product Code	Description
OK-APH-SS STD GREY	Adjustable Dish Organizers



**DRAWER
SLIDES**

UNDERMOUNT SOFT CLOSE SLIDES FOR WIRE BASKET



- Soft Close
- Full Extension
- Load Carrying Capacity: 35Kg
- Finish Available: Zinc
- Panel Thickness: 16mm



Product Code	Description
OE-UMS-SC-FE-11 450MM-18" ZINC	18" Wire basket Undermount drawer slides
OE-UMS-SC-FE-11 500MM-20" ZINC	20" Wire basket Undermount drawer slides

UNDERMOUNT SOFT CLOSE SLIDES



- Soft Close
- Full Extension
- Load Carrying Capacity: 35Kg
- Finish Available: Zinc
- 48 Hours Salt Spray Tested
- Panel Thickness: 16mm



Product Code	Description
OE-UMS-SC-FE-D 300MM-12" ZINC	12" Undermount Drawer Slides
OE-UMS-SC-FE-D 350MM-14" ZINC	14" Undermount Drawer Slides
OE-UMS-SC-FE-D 400MM-16" ZINC	16" Undermount Drawer Slides
OE-UMS-SC-FE-D 450MM-18" ZINC	18" Undermount Drawer Slides
OE-UMS-SC-FE-D 500MM-20" ZINC	20" Undermount Drawer Slides
OE-UMS-SC-FE-D 550MM-22" ZINC	22" Undermount Drawer Slides
OE-UMS-SC-FE-D 600MM-24" ZINC	24" Undermount Drawer Slides



Scan QR for
Installation Video



Locking
Device (L)



Locking
Device (R)

UNDERMOUNT PARTIAL EXTENSION SLIDES New

- Partial Extension Slide
- Load Carrying Capacity: 25Kg



Product Code	Description
OE-UMS-SC-PE 300MM-12" ZINC	12" Partial Extension Slides
OE-UMS-SC-PE 350MM-14" ZINC	14" Partial Extension Slides
OE-UMS-SC-PE 400MM-16" ZINC	16" Partial Extension Slides
OE-UMS-SC-PE 450MM-18" ZINC	18" Partial Extension Slides
OE-UMS-SC-PE 500MM-20" ZINC	20" Partial Extension Slides
OE-UMS-SC-PE 550MM-22" ZINC	22" Partial Extension Slides

SOFT CLOSE 25KG DRAWER SLIDES



- Soft Close • Full Extension
- Load Carrying Capacity: 25Kg
- Finish Available: Zinc
- 48 Hours Salt Spray Tested



Product Code	Description
OBBS-4522-SC 300MM ZINC	12" Full Extension Soft Close Drawer Slides
OBBS-4522-SC 350MM ZINC	14" Full Extension Soft Close Drawer Slides
OBBS-4522-SC 400MM ZINC	16" Full Extension Soft Close Drawer Slides

SOFT CLOSE 35KG DRAWER SLIDES



- Soft Close • Full Extension
- Load Carrying Capacity: 35Kg
- Finish Available: Zinc
- 48 Hours Salt Spray Tested



Product Code	Description
OBBS-4511-SC 300MM ZINC/BLACK	12" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 350MM ZINC/BLACK	14" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 400MM ZINC/BLACK	16" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 450MM ZINC/BLACK	18" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 500MM ZINC/BLACK	20" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 550MM ZINC/BLACK	22" Full Extension Soft Close Drawer Slides
OBBS-4511-SC 600MM ZINC/BLACK	24" Full Extension Soft Close Drawer Slides

35KG FULL EXTENSION BALL BEARING SLIDES



- Full Extension
- Load Carrying Capacity: 35Kg
- Finishes Available: Zinc & Black



Product Code	Description
OBBS-4522 200MM ZINC/BLACK	8" Full Extension Drawer Slides
OBBS-4522 250MM ZINC/BLACK	10" Full Extension Drawer Slides
OBBS-4522 300MM ZINC/BLACK	12" Full Extension Drawer Slides
OBBS-4522 350MM ZINC/BLACK	14" Full Extension Drawer Slides
OBBS-4522 400MM ZINC/BLACK	16" Full Extension Drawer Slides
OBBS-4522 450MM ZINC/BLACK	18" Full Extension Drawer Slides
OBBS-4522 500MM ZINC/BLACK	20" Full Extension Drawer Slides
OBBS-4522 550MM ZINC/BLACK	22" Full Extension Drawer Slides
OBBS-4522 600MM ZINC/BLACK	24" Full Extension Drawer Slides
OBBS-4522 650MM ZINC/BLACK	26" Full Extension Drawer Slides

45KG FULL EXTENSION BALL BEARING SLIDES



- Full Extension
- Load Carrying Capacity: 45Kg
- Finishes Available: Zinc & Black
- 48 Hours Salt Spray Tested



Product Code	Description
OBBS-4511I 250MM-10" ZINC/BLACK	10" Full Extension Drawer Slides
OBBS-4511I 300MM-12" ZINC/BLACK	12" Full Extension Drawer Slides
OBBS-4511I 350MM-14" ZINC/BLACK	14" Full Extension Drawer Slides
OBBS-4511I 400MM-16" ZINC/BLACK	16" Full Extension Drawer Slides
OBBS-4511I 450MM-18" ZINC/BLACK	18" Full Extension Drawer Slides
OBBS-4511I 500MM-20" ZINC/BLACK	20" Full Extension Drawer Slides
OBBS-4511I 550MM-22" ZINC/BLACK	22" Full Extension Drawer Slides
OBBS-4511I 600MM-24" ZINC/BLACK	24" Full Extension Drawer Slides
OBBS-4511I 650MM-26" ZINC/BLACK	26" Full Extension Drawer Slides
OBBS-4511I 700MM-28" ZINC/BLACK	28" Full Extension Drawer Slides

ANTI TILT SLIDES



ANTI-TILT
SAFETY



UP TO
40KG
LOAD
CAPACITY



FULL
EXTENSION



AUTO
LOCKING

Features:

- Load Carrying Capacity- Up to 40Kg
- Available Depth-300-500mm
- Slide Thickness-12.7mm
- Interlocking Rod Size-100mm
- Slide Width-45mm
- Finish-Zinc Plated

Product Code	Description
OBBS-ILS 300MM-12" ZINC	12" Ball Bearing Anti-Tilt Slides
OBBS-ILS 350MM-14" ZINC	14" Ball Bearing Anti-Tilt Slides
OBBS-ILS 400MM-16" ZINC	16" Ball Bearing Anti-Tilt Slides
OBBS-ILS 450MM-18" ZINC	18" Ball Bearing Anti-Tilt Slides
OBBS-ILS 500MM-20" ZINC	20" Ball Bearing Anti-Tilt Slides
OBBS-ILS ACC STD SSS	100mm Interlocking Rod for Anti-Tilt Slides

CONTRACTOR SERIES BALL BEARING SLIDES

- Full Extension
- Height: 45mm
- Finish Available: Zinc




Product Code	Description
OBBS-4522-CT35 250MM-10" ZINC	10" Full Extension
OBBS-4522-CT35 300MM-12" ZINC	12" Full Extension
OBBS-4522-CT35 350MM-14" ZINC	14" Full Extension
OBBS-4522-CT35 400MM-16" ZINC	16" Full Extension
OBBS-4522-CT35 450MM-18" ZINC	18" Full Extension
OBBS-4522-CT35 500MM-20" ZINC	20" Full Extension
OBBS-4522-CT35 550MM-22" ZINC	22" Full Extension





STAINLESS STEEL SOFT CLOSE BALL BEARING SLIDES


- Soft Close • Full Extension
- Height: 45mm
- Finish Available: Zinc



Product Code	Description
OBBS-4511-SS-SC 300MM-12"	12" Full Extension Soft Close
OBBS-4511-SS-SC 350MM-14"	14" Full Extension Soft Close
OBBS-4511-SS-SC 400MM-16"	16" Full Extension Soft Close
OBBS-4511-SS-SC 450MM-18"	18" Full Extension Soft Close
OBBS-4511-SS-SC 500MM-20"	20" Full Extension Soft Close
OBBS-4511-SS-SC 550MM-22"	22" Full Extension Soft Close
OBBS-4511-SS-SC 600MM-24"	24" Full Extension Soft Close

STAINLESS STEEL BALL BEARING SLIDES

- Soft Close • Full Extension
- Height: 45mm
- Finish Available: Zinc



Product Code	Description
OBBS-4511-SS 250MM-10"	10" Full Extension
OBBS-4511-SS 300MM-12"	12" Full Extension
OBBS-4511-SS 350MM-14"	14" Full Extension
OBBS-4511-SS 400MM-16"	16" Full Extension
OBBS-4511-SS 450MM-18"	18" Full Extension
OBBS-4511-SS 500MM-20"	20" Full Extension
OBBS-4511-SS 550MM-22"	22" Full Extension
OBBS-4511-SS 600MM-24"	24" Full Extension

SS304 SOFT CLOSE BALL BEARING SLIDES

- Soft Close • Full Extension
- Height: 45mm
- Thickness: 12.7mm
- Finish Available: Zinc



Product Code	Description
OBBS-4511-304SC 350MM-14" SS	14" Full Extension Soft Close
OBBS-4511-304SC 400MM-16" SS	16" Full Extension Soft Close
OBBS-4511-304SC 450MM-18" SS	18" Full Extension Soft Close
OBBS-4511-304SC 500MM-20" SS	20" Full Extension Soft Close

FURNITURE HINGES

New



E-SERIES AUTO CLOSE SCREW-ON HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 110°
- Door Thickness: 14-22mm
- Auto Close Screw-on
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested



Product Code
EC351-SO-A4S C0 NP
EC351-SO-B4S C8 NP
EC351-SO-C4S C15 NP

SOFT CLOSE SCREW-ON HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 105°
- Door Thickness: 14-22mm
- Soft Close Screw-on
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested



Product Code
OEC451-SO-A4S-SC C0 NP
OEC451-SO-B4S-SC C8 NP
OEC451-SO-C4S-SC C15 NP

SOFT CLOSE CLIP-ON HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 105°
- Door Thickness: 14-22mm
- Soft Close Clip-on
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested



Product Code
OEC451-A4S-SCN C0 NP
OEC451-B4S-SCN C8 NP
OEC451-C4S-SCN C15 NP

Note: Without Cover Cap & Screws

SOFT CLOSE CLIP-ON 3D ADJ. HINGE WITH 3 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 100°
- Door Thickness: 14-20mm
- 3D Adjustment
- Finish: Nickel Plated & Titanium Black
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested



Product Code
OEC451-A3S-SC 3DA NP
OEC451-B3S-SC 3DA NP
OEC451-C3S-SC 3DA NP
OEC451-A3S-SC 3DA T-BLACK
OEC451-B3S-SC 3DA T-BLACK
OEC451-C3S-SC 3DA T-BLACK

SOFT CLOSE CLIP-ON THICK DOOR HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 95°
- Door Thickness: 16-30mm
- Thick Door Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 24 hrs Salt Spray Tested



Product Code

OEC501-A4S-SC C0 NP

OEC501-B4S-SC C8 NP

OEC501-C4S-SC C15 NP

AUTO CLOSE SCREW-ON THICK DOOR HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 95°
- Door Thickness: 20-28mm
- Thick Door Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested

Product Code

EC401-A4S C0 NP

EC401-B4S C8 NP

EC401-C4S C15 NP

SOFT CLOSE CLIP-ON HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 105°
- Door Thickness: 14-22mm
- Soft Close Clip-on
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested



Product Code

OEC451-A4S-SC C0 NP

OEC451-B4S-SC C8 NP

OEC451-C4S-SC C15 NP

Note: With Cover Cap & Screws

SOFT CLOSE CLIP-ON 3D ADJ. HINGE WITH LINEAR MOUNTING PLATE & COVER CAP



Specifications:

- Opening Angle: 105°
- Door Thickness: 14-22mm
- Soft Close Clip-on
- Finish: Titanium Black
- 50,000 Cycle Tested
- 24 hrs Salt Spray Tested



Product Code

OEC451LN-A2S-SC 3D T-BLACK

OEC451LN-B2S-SC 3D T-BLACK

OEC451LN-C2S-SC 3D T-BLACK

SOFT CLOSE CLIP-ON SS 304 HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 105°
- Door Thickness: 15-20mm
- SS 304 Material
- Finish: Stainless Steel
- 50,000 Cycle Tested
- 72 hrs Salt Spray Tested

Product Code

OEC-451-304-A4S-SC STD PSS

OEC-451-304-B4S-SC STD PSS

OEC-451-304-C4S-SC STD PSS

STAINLESS STEEL SOFT CLOSE 3D CLIP-ON HINGE



Specifications:

- Opening Angle: 100°
- Door Thickness: 14-20mm
- Finish: Stainless Steel
- 50,000 Cycle Tested
- 72 hrs Salt Spray Tested

Product Code

OEC-451-SS 3D-A4S PSS

OEC-451-SS 3D-B4S PSS

OEC-451-SS 3D-C4S PSS

SOFT CLOSE CLIP-ON WIDE ANGLE HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 165°
- Door Thickness: 14-24mm
- Wide Angle Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested

Product Code
OEC170-SC-A4S C0 NP
OEC170-SC-B4S C8 NP
OEC170-SC-C4S C15 NP

AUTO CLOSE SCREW-ON WIDE ANGLE HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 165°
- Door Thickness: 14-24mm
- Wide Angle Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested

Product Code
OEC352-A4S C0 NP
OEC352-B4S C8 NP
OEC352-C4S C15 NP

AUTO CLOSE SCREW-ON BLIND CORNER HINGE WITH 2 HOLE MOUNTING PLATE



Specifications:

- Opening Angle: 100°
- Door Thickness: 14-24mm
- Blind Corner Hinge
- Finish: Nickel Plated
- 40,000 Cycle Tested
- 48 hrs Salt Spray Tested

Product Code
OEC35-G2S STD NP

SOFT CLOSE CLIP-ON BLIND CORNER HINGE WITH 4 HOLE MOUNTING PLATE & COVER CAP



Specifications:

- Opening Angle: 90°
- Door Thickness: 14-24mm
- Blind Corner Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 24 hrs Salt Spray Tested

Product Code
OEC451-CO-G4S-SC STD NP

AUTO CLOSE CLIP-ON PIE CORNER HINGE WITH 4 HOLE MOUNTING PLATE



Specifications:


- Opening Angle: 135°
- Door Thickness: 14-24mm
- Pie Corner Hinge
- Finish: Nickel Plated
- 50,000 Cycle Tested
- 48 hrs Salt Spray Tested

Product Code
OEC35-CO-H4S STD NP

AUTO CLOSE SCREW-ON 30°/ 45° FACE ANGLE HINGE WITH 2 HOLE MOUNTING PLATE & COVER CAP

Specifications:

- Opening Angle: 95°
- Door Thickness: 14-22mm
- Special Face Angle Hinge
- Finish: Nickel Plated
- 40,000 Cycle Tested
- 24 hrs Salt Spray Tested



Product Code	Description
OEC35-F2S STD NP	30° Face Angle
OEC35-E2S STD NP	45° Face Angle

Note: Supplied with screws (M4x10mm)



AIR HINGE 25 Kg



AIR HINGE 35 Kg



2 Hinge & 6 Screw



2 Hinge & 4 Screw

Product Code
OZ-WB-AH-3D 25KG T-BLACK

Specifications:

- Door Thickness: 18-32mm
- Opening Angle: 105°
- Max. Door Size (H x W): 2500x500mm
- Max. Door Weight: Up to 25kg
- Finish: Titanium Black
- 3D Adjustment: Overlay +2.0 / -2.0mm; Depth +2.5 / -0mm; Height +1.0 / -1.0mm


Product Code
OZ-WB-AH-3D 35KG T-BLACK

Specifications:

- Door Thickness: 22-35mm
- Door Angle: 105°
- Max. Door Size: (HxW) 2800x600mm
- Max. Door Weight: 35Kg
- Finish: Titanium Black
- 3D Adjustment: Overlay +/- 2mm; Depth +3.5/-0.5mm; Height +/- 1.5mm

New

AIR HINGE CONNECTOR



4 Connector & 20 Screw

Product Code
OZ-WB-AH-ACC STD ZINC



2 Connector & 10 Screw

Product Code
OZ-WB-AH35-ACC STD ZINC

GLASS SHELF ELEVATOR

New



Features

- Complete ready-to-install solution, allowing users to set it up with minimal effort
- Vertical storage system that lifts items up and down to provide easy access and maximize kitchen cabinet space
- System uses an automatic lifting mechanism to effortlessly raise and lower the storage shelves with one click on the bottom panel
- Smooth and quiet operation
- Supports a maximum load of 20 kg
- Equipped with an anti-collision feature
- Helps optimize cabinet space and reduce clutter on countertops

Specifications

- Dimension: 900 x 330 x 700 mm (W x D x H)
- Shelf Quantity: 2
- Maximum Load: 20 kg
- Power Input: 100-240V AC, 50/60Hz
- Output: 12V DC
- Maximum Power: 48W
- Ascend Time: 11-12 secs
- Descend Time: 8-10 secs
- Lifting Range: 0-480mm



Scan QR for
Product Video

Product Code	Cabinet Size
OE-EGSE H700xW900MM ANTHGREY	900mm

WICKER BASKET (PVC)



Note: Supplied along with aluminium slides

Product Code	Sizes	Cabinet Size
OZ-EK-WB 450x100MM BEIGE	414 X 508 X 100	450mm
OZ-EK-WB 450x150MM BEIGE	414 X 508 X 150	
OZ-EK-WB 450x200MM BEIGE	414 X 508 X 200	
OZ-EK-WB 600x100MM BEIGE	564 X 508 X 100	600mm
OZ-EK-WB 600x150MM BEIGE	564 X 508 X 150	
OZ-EK-WB 600x200MM BEIGE	564 X 508 X 200	

ROLLING SHUTTER

New



OE-RS-M 600x1400MM BLACK
600x1400mm (WxH)
Material: PVC
Finish: Black



OE-RS-M 600x1400MM SILVER
600x1400mm (WxH)
Material: PVC
Finish: Silver

PLATE ORGANIZER

New




THALI ORGANISER

Code: OZ-DR-20TH CP
 Dimension: 470 x 158 x 158 MM
 No. of Thalís: 10 Nos.



PLATE ORGANISER

Code: OZ-DR-20PL CP
 Dimension: 470 x 158 x 140 MM
 No. of Plates: 12 Nos.



SAUCER ORGANISER

Code: OZ-DR-20CS CP
 Dimension: 470 x 130 x 105 MM
 No. of Saucers: 14 Nos.

SLIM BOTTLE PULL-OUT

New



Features

- 2-tier slim pull-out designed to maximize narrow spaces.
- Ideal for 150mm–300mm wide cabinets.
- Perfect for storing and organizing daily-use items.
- Space-efficient design enhances cabinet utility.
- Easy to assemble and install.

Specifications

- Load Capacity: Up To 20Kg (10Kgs per shelf)
- Depth: 500mm
- Customized Cabinet Width: 150mm to 300mm
- Finish: Anthracite Grey
- 3D Adjustment: Height: ± 2 mm, Side: ± 1.5 mm, Tilt: ± 1 mm

Note: Comes in a set of side panel 84mm (top shelf) & 167mm (bottom shelf) with undermount slides

Product Code

OK-BPO-SL50 GREY



Scan QR for
Product Video

UNIVERSAL BOTTLE PULL OUT

(Grey)

New



Features

- Fits both left and right cabinets for flexible installation.
- Adjust basket height to store bottles, jars, & containers of any size.
- High side walls keep bottles from toppling.
- Compact design suits narrow cabinets (200/250/300 mm).
- Soft-close mechanism ensures smooth, silent closure.

Specifications

- Shelves: 2 (upper and lower)
- Installation: Side-Mounted With Concealed Soft-Close Slides
- Material: Mild Steel with Anti-Skid Base
- Finish: Grey Matt
- Load Capacity: 20kg
- Product Dimension (WxDxH):
 - 200 mm Width: 158 x 461 x 603 mm
 - 250mm width: 208x461x603
 - 300 mm Width: 258 x 461 x 603 mm
- Cabinet Widths Available: 200 mm 250 mm & 300 mm

Product Code

OK-BPO-200MM GREY

OK-BPO-250MM GREY

OK-BPO-300MM GREY

BOTTLE PULL-OUT
(Glass Baskets)



FOR CABINET WIDTH 200MM

Product Code
OK-BPO-GB-02-R 200MM SS
OK-BPO-GB-02-L 200MM SS

FOR CABINET WIDTH 300MM

Product Code
OK-BPO-GB-02-R 300MM SS
OK-BPO-GB-02-L 300MM SS

BOTTLE PULL-OUT
(Chrome Baskets)



FOR CABINET WIDTH 200MM

Product Code
OK-BPO-02-L 200MM CP
OK-BPO-02-R 200MM CP

FOR CABINET WIDTH 300MM

Product Code
OK-BPO-02-L 300MM CP
OK-BPO-02-R 300MM CP

BOTTLE PULL-OUT
(Chrome Baskets)



FOR CABINET WIDTH 150MM

Product Code
OK-BPO-02-L 150MM CP
OK-BPO-02-R 150MM CP

Note: Supplied along with slides

MULTI FUNCTIONAL PULL-OUT



Features

- Single storage solution for all type of kitchen essential (cutlery/ bottles/ storage boxes)
- High load carrying capacity that can hold up to 20 kg
- Premium organization that effectively organizes kitchen products
- Efficient storage with multiple storage options
- Anti-Skid base that ensures stability and safety of stored items
- Soft close mechanism that ensures smooth closure for gentle movement
- Modern design that is designed to complement modern kitchens

Specifications

- Min. Cabinet Height: 660mm
- Cabinet Outer Width: 300 & 450mm
- Cabinet Clear Depth: min 500mm
- Finish: Frame: Grey
Basket: Anthgrey

Product Code	Cabinet Size	No. of Shelves
OK-MFPO 300MM ANTHGREY	300mm	2
OK-MFPO 450MM ANTHGREY	450mm	3



Scan QR for
Product Video

KITCHEN TALL UNIT

(Grey)

New

**Features**

- Height-adjustable baskets rearrange easily to fit tall bottles, jars, or packets.
- Fits left and right cabinets for flexible installation.
- Seamless front design hides unused holes for a sleek finish.
- Central roller mechanism delivers smooth, silent motion.
- Spacious baskets enable smart organization and quick access.
- Balanced load system maintains strength and stability

Specifications

- Finish: Grey Matt
- Carcass Widths: 450 mm & 600 mm
- Load Capacity: Up to 50 kg
- Carcass Inner Dimension (WxDxH): 416/565 x 520 x 1875 mm
- Product Dimensions (WxDxH):
 - 450 mm: 390 x 500 x 1860 mm
 - 600 mm: 540 x 500 x 1860 mm
- Basket Dimensions For 450mm (WxDxH):
 - Inner Basket- 346 x 252 x 75 mm
 - Outer Basket- 288 x 122 x 75 mm
- Basket Dimensions For 600mm (WxDxH):
 - Inner Basket- 496 x 252 x 75 mm
 - Outer Basket- 438x122x75 mm
- Basket Count: 12 (6 Door-Mounted + 6 Frame-Mounted)
- Material: Mild Steel With Anti-Skid Base

Available Sizes:

Product Code	Description
OK-TU-12B-COMBO 450MM GREY	450mm(W) (6+6) Frame & Baskets
OK-TU-12B-COMBO 600MM GREY	600mm(W) (6+6) Frame & Baskets

KITCHEN TALL UNIT

(Glass Baskets)

New

**Features:**

- Premium kitchen pantry system with soft-close swing-out shelves for a gentle, quiet operation.
- Dual storage capacity that utilize both cabinet space and convenient door baskets.
- Adjustable & removable baskets that customize your organization with easy adjustable glass baskets.
- Anti-skid base baskets feature non-slip base to keep items secure.

Specifications:

- Silent mechanism
- Adjustable frame height
- Available in 2 different cabinet width i.e. 450 & 600mm
- Load capacity: 35Kg
- Available in adjustable height
 - 1900-2160mm

Available Sizes:

Product Code	Description
OK-TU-12B-COMBO 600MM GLASS	450mm(W) (6+6) Frame & Baskets
OK-TU-12B-COMBO 450MM GLASS	600mm(W) (6+6) Frame & Baskets

KITCHEN TALL UNIT

(Chrome Baskets)



Features:

- Premium kitchen pantry system with soft-close swing-out shelves for a gentle, quiet operation.
- Dual storage capacity that utilize both cabinet space and convenient door baskets.
- Adjustable & removable baskets that customize your organization with easy adjustable chrome baskets.
- Anti-skid base baskets feature non-slip base to keep items secure.

Specifications:

- Silent mechanism
- Adjustable frame height
- Available in 2 different cabinet width i.e. 450 & 600mm
- Load capacity: 35Kg
- Available in adjustable height
- 1900-2160mm



Scan QR for
Installation Video

Available Sizes:

Product Code	Description
OK-TU-12B-COMBO 600MM CP	450mm(W) (6+6) Frame & Baskets
OK-TU-12B-COMBO 450MM CP	600mm(W) (6+6) Frame & Baskets

UNIVERSAL MAGIC CORNER

(Grey)



Features

- Fits both left & right-hand blind corner cabinets
- Smooth, full access in just 3 easy steps
- 2-tier storage maximizes corner space
- Adjustable metal baskets with anti-skid base
- Hook design for quick disassembly & cleaning
- Integrated soft-close for silent, gentle closure

Specifications

- Load Carrying Capacity: 20Kg
- Cabinet Dimension: Min. Depth: 500mm, Min. Height: 650mm, Min. Width: 1000mm
- Door Width: Min. 430mm
- Material: Mild steel
- Finish: Grey Matt

NOTE: Please order blind corner hinge (OEC451-G4S-SC STD NP) for easy access

Product Code	Description
OK-MC-COMBO 900MM GREY	900mm

UNIVERSAL MAGIC CORNER

(Glass)




Features

- Fits both left & right-hand blind corner cabinets
- Smooth, full access in just 3 easy steps
- 2-tier storage maximizes corner space
- Adjustable glass baskets with anti-skid base
- Hook design for quick disassembly & cleaning
- Integrated soft-close for silent, gentle closure

Specifications

- Load Carrying Capacity: 20Kg
- Cabinet Dimension: Min. Depth: 500mm, Min. Height: 650mm, Min. Width: 1000mm
- Door Width: Min. 430mm
- Material: Frame-Metal, Basket-Aluminium alloy + Glass
- Finish: Frame-Anthraccite Grey, Basket-Glass+SS

NOTE: Please order blind corner hinge (OEC451-G4S-SC STD NP) for easy access

Product Code	Description
OK-MC-COMBO 900MM GLASS	900mm

S-CAROUSEL

(Chrome)



Features

- Soft-close mechanism for smooth movement
- Dual-layer shelves for organized storage
- Maximizes blind corner space
- Anti-skid base for added stability
- Independently moving shelves for easy access

Specifications

- Minimum Cabinet Depth: 500mm
- Minimum Cabinet Height: 600mm
- Cabinet Inner Width: 900-1200mm
- Minimum Door Width: 450mm
- Basket Finish: Chrome

Product Code	Description
OK-SC-02-R 900MM CP	900mm Right Mechanism
OK-SC-02-L 900MM CP	900mm Left Mechanism

SS DISH RACK



Features

- Neatly organizes washed utensils
- Perfect for overhead sink cabinets for convenient drying
- Corrosion-resistant for long-lasting use
- Polished finish for a clean, premium look

Specifications

- Cabinet Outer Width: 600, 800 & 900mm
- Cabinet Inner Clear Depth: Min. 225mm
- Cabinet Inner Height: Min. 564mm
- Cabinet Inner Width: 565, 765 & 865mm
- Material: Stainless Steel
- Finish: Stainless Steel Satin

Product Code	Cabine Size
OK-DR-N 600MM SSS	600mm
OK-DR-N 800MM SSS	800mm
OK-DR-N 900MM SSS	900mm



Scan QR for
Product Video

PULL-OUT TABLE EXTENSION



OE-PUTE-1L STD SSS

Width Panel Size: 600-1200mm
Internal Space Size: Height-200mm | Depth-460mm
Load Carrying Capacity: up to 70Kg



OE-PUTE-2 STD SSS

Width Panel Size: 600-1200mm
Internal Space Size: Height-150mm | Depth-550mm
Load Carrying Capacity: up to 40Kg



OE-PUTE-3 STD SSS

Width Panel Size: 600-1200mm
Internal Space Size: Height-135mm | Depth-540mm
Load Carrying Capacity: up to 40Kg

LINEAR MOVABLE PLATFORM New



Features:

- Concealed mechanism for a clean, seamless look
- Space-saving design for compact areas
- High load-bearing capacity for heavy-duty use
- Lockable wheels for stability and secure placement

Specifications:

- Extension Length: 1250mm
- Height: up to 890mm
- Depth: up to 900mm
- Load Carrying Capacity: up to 120Kg
- Finish: Black Matt
- Mechanism Type: Linear Sliding

Product Code

OE-LMP-2M STD



Scan QR for
Installation Video

KITCHEN WASTE BINS



Scan QR for
Product Video



OK-POB-2 2x11L GREY

- Bin Capacity Up to 22L (11Lx2)
- Load Carrying Capacity: Up to 25Kg
- Min. Cabinet Size: Depth- 450mm; Height- 400mm; Width-264mm
- Material: PVC (Bins), Cold Rolled Steel (Slides)
- Finish: Anthracite Grey



OK-POB-3 3x10L GREY

- Bin Capacity: Up to 30L (10Lx3)
- Load Carrying Capacity: Up to 25Kg
- Min. Cabinet Size: Depth- 500mm; Height- 450mm; Width- 264mm
- Material: PVC (Bins), Cold Rolled Steel (Slides)
- Finish: Anthracite Grey



OK-RB 10L SSS

- Bin Capacity: Up to 10L
- Load Carrying Capacity: Up to 7Kg
- Min. Cabinet Size: Depth- 350mm; Height- 400mm; Width-300mm



LED ALUMINIUM SKIRTING

New



SKIRTING DETAILS

Length : 3000mm
Height : 100mm
Material : Aluminium
Finish : Black Matt



CONNECTOR DETAILS

Material : Aluminium
Available Connectors : Rectangle- 90°, 180°
Finish : Black Matt

OK-SK-LED-100 3M BM

Note: LED strip light & adapter not included

OK-SK-ACC90-LED 100MM BM

OK-SK-ACC180-LED 100MM BM

PVC SKIRTING



Square/Flexi Corner Connector
OK-SK-100 3M SSS
OK-SK-150 3M SSS


PVC Skirting with
Aluminium Foil
Length: 3m
Finish: SSS



Flexible Connector

OK-SK-ACC 100MM SSS
OK-SK-ACC 150MM SSS

Flexible Connectors with Bottom
Plastic Seal
Height: 100mm & 150mm
Finish: SSS



PVC SKIRTING

New



OK-SK-100 3M BLACK

SKIRTING DETAILS

Skirting Length	: 3000mm
Skirting Height	: 100mm
Skirting Material	: PVC with Aluminium Foil
Skirting Finish	: Black Matt

JOINT SYSTEM FOR CLEAN FITMENT

New



BLACK

OK-SK-CJ-ACC 100MM BLACK
OK-SK-CJ-ACC 100MM SSS



SSS



BLACK

OK-SK-SJ-ACC 100MM BLACK
OK-SK-SJ-ACC 100MM SSS



SSS



BLACK

OK-SK-FJ-ACC 100M BLACK

CABINET LEGS WITH CLIPS



OK-ALC 150MM BLACK
Adjustable Leg with Clip
Set= 4Legs+2Clips



OK-ALC 100MM BLACK
Adjustable Leg with Clip
Set= 4Legs+2Clips



OK-ALC-ACC-RC STD BLACK
Adjustable Legs Clip
500Pcs in one Pkt.

BI-FOLD LIFT UP SYSTEM

New



ULTRA HEAVY DUTY BI-FOLD

OK-LU-BF-UHD STD GREY

Ideal for both wooden & framed glass shutters

Carcass Details:

Width	Height	Max. Weight
600-1200mm	600-800mm	18Kg

Set comprises:

- Lift-up Mechanism with Cover: 01 Pair
- Auto Close Hinges: 01 Pair
- Center Hinges with Accessories



HEAVY DUTY BI-FOLD

OK-LU-BF-HD STD GREY

Ideal for higher wall cabinets

Carcas Details:

Width	Height	Max. Weight
600-1200mm	600-800mm	9.4Kg

Set comprises:

- Lift-up Mechanism with Cover: 01 Pair
- Auto Close Hinges: 01 Pair
- Center Hinges with Accessories



Scan QR for
Product Video

Note: For use with wooden doors made of Plywood, MDF, HDF, HDHMR, etc.


www.ozone.in

90° OPENING LIFT-UP SYSTEM



Product Code	Max. Weight (kg)	Cabinet Width	Cabinet Height
OK-LU-90HD STD GREY	13.25	900-1800 mm	600-700 mm

(Cabinet Hinges are not required)

Scan QR for
Installation VideoScan QR for
Product VideoAvailable in White Colour
also against bulk order**Note:** Ideal for both wooden & framed glass shutters

LIFT-UP STAY SYSTEM

New

SGS
CERTIFIED

Key Features

- Power adjustment by screw driver for precise adjustment based on shutter weight
- Recommended to use a pair of Soft Close Full Overlay (C=0) hinges

Specifications

Shutter Height	: 300-600mm
Shutter Width	: 450-900mm
Material	: Steel
Finish	: Nickel Plated

Product Code	Description
OK-LU-FS-HD STD NP	Heavy: upto 11 kg per pair
OK-LU-FS-M STD NP	Medium: upto 9 kg per pair

Note: • For a pair order 2 units
• Ideal for both wooden & framed glass shutters

PNEUMATIC GAS PUMPS

SOFT-CLOSE PNEUMATIC
GAS PUMPS

Specifications:

- Pump Capacity: Up to 150N
- Pump Length: 300mm (12")

Product Code
OK-PP-SC 50N GREY
OK-PP-SC 100N GREY
OK-PP-SC 150N GREY

STANDARD PNEUMATIC
GAS PUMPS

Specifications:

- Pump Capacity: Up to 250N
- Pump Length: 300mm (9" & 12")

New

Product Code Length-12"
OK-PP-N 50N GREY
OK-PP-N 100N GREY
OK-PP-N 150N GREY
OK-PP-N 200N GREY
OK-PP-N 250N GREY

Product Code Length-9"
OK-PP-N-09-50N-GREY
OK-PP-N-09-100N-GREY
OK-PP-N-09-150N-GREY
OK-PP-N-09-200N-GREY

NOTE: Recommended to use a pair of Soft Close Full Overlay (Crank=0) hinges



AERO SERIES

Glass Door Profiles for Air Hinge

AERO SERIES: CURVE SHAPE PROFILES



Specifications:


- Glass Wardrobe Shutter Profile For Air Hinge
- Maximum Door Weight Capacity: 25 Kg
- Maximum Door Size: (H) 2500mm X (W) 500mm
- Hinge Fixing & Handle Profile Length: 3000mm
- Compatible Hinge: OZ-WB-AH-3D 25KG T-BLACK

Available Finish




BLACK
MATT
(BM)

Product Type	Product Code
Frame Profile	OEAP-30CAHF 3M BM
Handle Profile	OEAP-30CAHH 3M BM



Handle Profile

Profile Length: 3000mm





Frame Profile

Profile Length: 3000mm

AERO SERIES: STRAIGHT PROFILES

**Specifications:**

- Glass Wardrobe Shutter Profile For Air Hinge
- Maximum Door Weight Capacity: 25 Kg
- Maximum Door Size: (H) 2500mm X (W) 500mm
- Hinge Fixing & Handle Profile Length: 3000mm
- Compatible Hinge: OZ-WB-AH-3D 25KG T-BLACK

Available FinishBLACK
MATT
(BM)Handle Profile
Profile Length: 3000mmFrame Profile
Profile Length: 3000mm

Note: Profiles supplied with Gasket for 5mm glass thickness


Product Type	Product Code
Frame Profile	OEGW-25F 3M BM
Handle Profile	OEGW-25H 3M BM

AERO SERIES: UNIVERSAL PROFILE

**Specifications:**

- Door Size Maximum: (H) 2500mm x (W) 500mm
- Profile Length: 3000mm
- Door Weight Capacity Maximum: 25 Kg
- Cross Section: 32 x 24mm
- Profile Material: Aluminium
- Finish: Black Matt

Product Code
OEAP-SAWF 17x25MM 3M BM

Available FinishBLACK MATT
(BM)

Profile Length: 3000mm

AERO SERIES: SUPPORTING ACCESSORIES:




AIR HINGE SUPPORT PROFILE
OZ-WB-AH-SUP-45x18MM 864MM BM



**AIR HINGE CONNECTOR
FOR SUPPORT PROFILE**
OZ-WB-AH-SUP-ACC STD AN



AIR HINGE
OZ-WB-AH-3D 25KG T-BLACK



AIR HINGE CONNECTOR
OZ-WB-AH-ACC STD ZINC




Note: If using the Air Hinge Support profile, it can accommodate a width of up to 900 mm for two doors.
For the top and bottom panels, 18mm thick plywood is recommended.
For a design without Support Profiles & Connectors, switch to 22-25mm thick plywood.

ORION SERIES: TAPER PROFILE



Specifications:

- For Openable Wardrobe
- Maximum Door Weight Capacity: 25 Kg
(With 3 Set- 6 Nos. of Hinges)
- Maximum Door Size: (H) 2500mm X (W) 450mm
- Hinge Fixing Tapered Profile & Handle Profile Length: 3000mm
- Top & Bottom Profiles Length: 447mm
- Glass Thickness: 5mm
- Compatible Hinge: OEC451-A4S-SC C0 NP

Product Image	Product Type	Product Code
	Hinge Fixing Tapered Profile	OEAP-TAP-56x23MM 3M BM
	Top & Bottom Shutter Profile	OEAP-TBP-15x24MM 447MM BM
	Handle Profile For Door Shutter	OEAP-HP-16x22MM 3M BM

Available Finish



BLACK
MATT
(BM)


LED GOLA PROFILES



LED J GOLA PROFILE
OEAP-JG-LED 3M BM



LED C GOLA PROFILE
OEAP-CG-LED 3M BM



L CONNECTOR
OEAP-ACC4 STD ZINC

Specifications

Profile Length : 3000mm
Profile Depth : 26mm

Profile Height






J Gola : 57mm
C Gola : 73mm

Material

Profile : Aluminium
Connector : Zinc
Finish : Black Matt






Note: LED strip light & adapter not included

GLASS DOOR PROFILE (GLASS THICKNESS 4MM)



Image	Profile Type	Finish	Code
	45 mm Alu. Frame Profile	Silver Anodized	OEAP-45F 3M AN
		Black Matt	OEAP-45F 3M BM
		Blush Rose Gold-Glossy	OEAP-45F 3M RG-G
		Vintage Brass-Glossy	OEAP-45F 3M VB-G
		Black Luxe-Glossy*	OEAP-45F 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-45F 3M VB-B
		Phantom Grey*	OEAP-45F 3M PHANTOM GREY
		Tan Brass*	OEAP-45F 3M TAN BRASS
	45 mm H Alu. Handle Profile	Silver Anodized	OEAP-45H 3M AN
		Black Matt	OEAP-45H 3M BM
		Blush Rose Gold-Glossy	OEAP-45H 3M RG-G
		Vintage Brass-Glossy	OEAP-45H 3M VB-G
		Black Luxe-Glossy*	OEAP-45H 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-45H 3M VB-B
		Phantom Grey*	OEAP-45H 3M PHANTOM GREY
		Tan Brass*	OEAP-45H 3M TAN BRASS
	45 mm H2 Alu. Handle Profile	Silver Anodized	OEAP-45H2 3M AN
		Black Matt	OEAP-45H2 3M BM
		Blush Rose Gold-Glossy	OEAP-45H2 3M RG-G
		Vintage Brass-Glossy	OEAP-45H2 3M VB-G
		Black Luxe-Glossy*	OEAP-45H2 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-45H2 3M VB-B
		Phantom Grey*	OEAP-45H2 3M PHANTOM GREY
		Tan Brass*	OEAP-45H2 3M TAN BRASS
	50mm Alu. Frame Profile	Silver Anodized	OEAP-50F 3M AN
		Black Matt	OEAP-50F 3M BM
		Blush Rose Gold-Glossy	OEAP-50F 3M RG-G
		Vintage Brass-Glossy	OEAP-50F 3M VB-G
		Black Luxe-Glossy*	OEAP-50F 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-50F 3M VB-B
		Phantom Grey*	OEAP-50F 3M PHANTOM GREY
		Tan Brass*	OEAP-50F 3M TAN BRASS
	50mm H Alu. Handle Profile	Silver Anodized	OEAP-50H 3M AN
		Black Matt	OEAP-50H 3M BM
		Blush Rose Gold-Glossy	OEAP-50H 3M RG-G
		Vintage Brass-Glossy	OEAP-50H 3M VB-G
		Black Luxe-Glossy*	OEAP-50H 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-50H 3M VB-B
		Phantom Grey*	OEAP-50H 3M PHANTOM GREY
		Tan Brass*	OEAP-50H 3M TAN BRASS

Note: Compatible with Ozone Hinges & Wardrobe Sliding Systems (Top Glide 22 & Ozoline Plus)



HANDLELESS PROFILE (GOLA)

Image	Profile Type	Finish	Code
	J Gola Profile	Silver Anodized	OEAP-JG 3M AN
		Black Matt	OEAP-JG 3M BM
		Blush Rose Gold-Glossy	OEAP-JG 3M RG-G
		Vintage Brass-Glossy	OEAP-JG 3M VB-G
		Black Luxe-Glossy*	OEAP-JG 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-JG 3M VB-B
		Phantom Grey*	OEAP-JG 3M PHANTOM GREY
		Tan Brass*	OEAP-JG 3M TAN BRASS
	C Gola Profile	Silver Anodized	OEAP-CG 3M AN
		Black Matt	OEAP-CG 3M BM
		Blush Rose Gold-Glossy	OEAP-CG 3M RG-G
		Vintage Brass-Glossy	OEAP-CG 3M VB-G
		Black Luxe-Glossy*	OEAP-CG 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-CG 3M VB-B
		Phantom Grey*	OEAP-CG 3M PHANTOM GREY
		Tan Brass*	OEAP-CG 3M TAN BRASS
	Vertical J Gola Profile	Silver Anodized	OEAP-VJG 3M AN
		Black Matt	OEAP-VJG 3M BM
		Blush Rose Gold-Glossy	OEAP-VJG 3M RG-G
		Vintage Brass-Glossy	OEAP-VJG 3M VB-G
		Black Luxe-Glossy*	OEAP-VJG 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-VJG 3M VB-B
		Phantom Grey*	OEAP-VJG 3M PHANTOM GREY
		Tan Brass*	OEAP-VJG 3M TAN BRASS
	Vertical C Gola Profile	Silver Anodized	OEAP-VCG 3M AN
		Black Matt	OEAP-VCG 3M BM
		Blush Rose Gold-Glossy	OEAP-VCG 3M RG-G
		Vintage Brass-Glossy	OEAP-VCG 3M VB-G
		Black Luxe-Glossy*	OEAP-VCG 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-VCG 3M VB-B
		Phantom Grey*	OEAP-VCG 3M PHANTOM GREY
		Tan Brass*	OEAP-VCG 3M TAN BRASS
	Wall Gola Profile	Silver Anodized	OEAP-WG 3M AN
		Black Matt	OEAP-WG 3M BM
		Blush Rose Gold-Glossy	OEAP-WG 3M RG-G
		Vintage Brass-Glossy	OEAP-WG 3M VB-G
		Black Luxe-Glossy*	OEAP-WG 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-WG 3M VB-B
		Phantom Grey*	OEAP-WG 3M PHANTOM GREY
		Tan Brass*	OEAP-WG 3M TAN BRASS





HANDLELESS PROFILE (GOLA)

Image	Profile Type	Finish	Code
	LED Wall Gola Profile	Silver Anodized	OEAP-WG-LED 3M AN
		Black Matt	OEAP-WG-LED 3M BM
		Blush Rose Gold-Glossy	OEAP-WG-LED 3M RG-G
		Vintage Brass-Glossy	OEAP-WG-LED 3M VB-G
		Black Luxe-Glossy*	OEAP-WG-LED 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-WG-LED 3M VB-B
		Phantom Grey*	OEAP-WG-LED 3M PHANTOM GREY
		Tan Brass*	OEAP-WG-LED 3M TAN BRASS
	Sink Profile	Silver Anodized	OEAP-SINK 3M AN




WOODEN DOOR PROFILE

Image	Profile Type	Finish	Code
	G Handle Profile	Silver Anodized	OEAP-G 3M AN
		Black Matt	OEAP-G 3M BM
		Blush Rose Gold-Glossy	OEAP-G 3M RG-G
		Vintage Brass-Glossy	OEAP-G 3M VB-G
		Black Luxe-Glossy*	OEAP-G 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-G 3M VB-B
		Phantom Grey*	OEAP-G 3M PHANTOM GREY
		Tan Brass*	OEAP-G 3M TAN BRASS
	G2 Handle Profile	Silver Anodized	OEAP-G2 3M AN
		Black Matt	OEAP-G2 3M BM
		Blush Rose Gold-Glossy	OEAP-G2 3M RG-G
		Vintage Brass-Glossy	OEAP-G2 3M VB-G
		Black Luxe-Glossy*	OEAP-G2 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-G2 3M VB-B
		Phantom Grey*	OEAP-G2 3M PHANTOM GREY
		Tan Brass*	OEAP-G2 3M TAN BRASS

WOODEN DOOR PROFILE

Image	Profile Type	Finish	Code
	J Handle Profile	Silver Anodized	OEAP-J 3M AN
		Black Matt	OEAP-J 3M BM
		Blush Rose Gold-Glossy	OEAP-J 3M RG-G
		Vintage Brass-Glossy	OEAP-J 3M VB-G
		Black Luxe-Glossy*	OEAP-J 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-J 3M VB-B
		Phantom Grey*	OEAP-J 3M PHANTOM GREY
		Tan Brass*	OEAP-J 3M TAN BRASS
	BV-Handle Profile	Silver Anodized	OEAP-BV 3M AN
		Black Matt	OEAP-BV 3M BM
		Blush Rose Gold-Glossy	OEAP-BV 3M RG-G
		Vintage Brass-Glossy	OEAP-BV 3M VB-G
		Black Luxe-Glossy*	OEAP-BV 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-BV 3M VB-B
		Phantom Grey*	OEAP-BV 3M PHANTOM GREY
		Tan Brass*	OEAP-BV 3M TAN BRASS
	SV-Handle Profile	Silver Anodized	OEAP-SV 3M AN
		Black Matt	OEAP-SV 3M BM
		Blush Rose Gold-Glossy	OEAP-SV 3M RG-G
		Vintage Brass-Glossy	OEAP-SV 3M VB-G
		Black Luxe-Glossy*	OEAP-SV 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-SV 3M VB-B
		Phantom Grey*	OEAP-SV 3M PHANTOM GREY
		Tan Brass*	OEAP-SV 3M TAN BRASS
	F-Handle Profile	Silver Anodized	OEAP-F1 3M AN
		Black Matt	OEAP-F1 3M BM
		Blush Rose Gold-Glossy	OEAP-F1 3M RG-G
		Vintage Brass-Glossy	OEAP-F1 3M VB-G
		Black Luxe-Glossy*	OEAP-F1 3M BL-LX-G
		Vintage Brass-Brush*	OEAP-F1 3M VB-B
		Phantom Grey*	OEAP-F1 3M PHANTOM GREY
		Tan Brass*	OEAP-F1 3M TAN BRASS

AVAILABLE FINISH

							
Black Matt (BM)	Blush Rose Gold-Glossy (RG-G)	Vintage Brass-Glossy (VB-G)	Silver Anodized (AN)	Black Luxe-Glossy* (BL-LX-G)	Vintage Brass-Brush* (VB-B)	Phantom Grey* (Phantom Grey)	Tan Brass* (Tan Brass)

*Available on lead time.

**These finishes are currently offered for the kitchen segment only.

END CAPS

Image	Item	Finish	Code
	End cap set for G2 handle profile Set=L+R	Silver Anodized	OEAP-ACC-EC-G2 STD AN
		Black Matt	OEAP-ACC-EC-G2 STD BM
	End cap set for J gola profile Set=L+R	Silver Anodized	OEAP-ACC-EC-JG STD AN
		Black Matt	OEAP-ACC-EC-JG STD BM
	End cap set for C gola profile Set=L+R	Silver Anodized	OEAP-ACC-EC-CG STD AN
		Black Matt	OEAP-ACC-EC-CG STD BM
	End cap set for Sink profile Set=L+R	Grey	OEAP-ACC-SINK-EC STD GREY
	End cap set for G Handle Profile Set=L+R	Black Matt	OEAP-ACC-EC-G STD BM
		Rose Gold	OEAP-ACC-EC-G STD RG-G

PROFILES CONNECTORS

Image	Item	Finish	Code
	E90° connector for 45mm Glass Profile (Set=4x Connector + 16x Screws)	Zinc Plated	OEAP-ACC1 STD ZINC
	Special 90° connector for 50 mm Glass Profile (Set=4x Connector + 8x Screws)	Zinc Plated	OEAP-ACC2 STD ZINC
	L Cabinet Connector for J & C Gola Profiles (Set=4x Connector + 16x Screws)	Zinc Plated	OEAP-ACC3 STD ZINC



KUBE LINE

SHELVING SYSTEM



Scan QR for
Product Video


PROFILE DETAILS

3000mm
Profile Length

Black Matt
Finish



Aluminium
Material

Vertical Profile





OE-CSYS-VP 3M BLACK

Basic Profile




OE-CSYS-BP 3M BLACK

Glass Support Profile




OE-CSYS-GP 3M BLACK

Wood Support Profile



OE-CSYS-WP 3M BLACK

Extended Wood Support Profile



OE-CSYS-WPE 3M BLACK

Note: Use for hinge & drawer cabinets

ACCESSORIES DETAILS




OE-CSYS-ACC-TC
21x21 BLACK

Top Vertical Profile
End Cap



OE-CSYS-ACC-BC
21x21 BLACK

Bottom Vertical Profile
End Cap



OE-CSYS-ACC-CNTR
STD ZINC

Profile
Connectors



OE-CSYS-ACC-PROFILE
HOLE TEMPLATE

Drill hole
Template




OE-CSYS-ACC-RCH
M4x10MM BLACK

Round Head Screws
Used with
OE-CSYS-ACC-CNTR STD ZINC



OE-CSYS-ACC
M4x10MM BLACK

CSK Head Screws
Used with
OE-CSYS-ACC-CNTR STD ZINC



OE-CSYS-ACC-WM
STD BLACK

Wall Mount Accessories



OZ-HX-PS M6x25MM STD
OZ-PS M6x24MM STD
OZ-PS M6x40MM STD

Please refer page no. 63 for MRP



LED SHELVING SYSTEM

New

Features:

- Easy LED operation with touch sensor
- Light intensity can be adjusted with a long press

Specifications:


- Shelf Height: 64mm
- Shelf Depth: 230mm
- Thickness: 3.5mm
- Load Carrying Capacity: Up to 10Kg
- Available Size: 600/ 900mm
- Finish: Black Matt
- Supplied along with in-built LED, power adaptor, & touch sensor



Product Code
OEAP-WLL-LED 600MM BM
OEAP-WLL-LED 900MM BM





Scan QR for
Product Video





Specifications:

- Shutter Height: Up To 2400mm
- Single Shutter Panel Width (W): $350 \leq W \leq 557$ mm
- Load Carrying Capacity: 20kg Per Panel
- Top & Bottom Track Length: 2200mm
- Maximum Internal Carcass Width: 2200mm
- Track Material: Aluminium
- Shutter Thickness(T): $18 \leq T \leq 25$ mm
- Finish: Anodized


	Product Code	Image Illustration	Description	Quantity
For one folding door with 2 panels	OE-OTSF-TBT 2.2M AN		Top & Bottom Track Set	1
	OE-OTSF-SF-OT STD GREY		Folding Door Kit	1
For two folding door with 4 panels	OE-OTSF-TBT 2.2M AN		Top & Bottom Track Set	1
	OE-OTSF-SF-OT STD GREY		Folding Door Kit	2

Note: Supplied along with cabinet & folding panel hinges

**Specifications:**

- Shutter Thickness: 16-24mm
- Available Size: 300-500mm
- Door Height: 500-1500mm
- Material: Cold Rolled Steel
- Finish: Zinc Plated

Product Code	Description
OBBS-PS-SYS 300MM-12" ZINC	Slides
OBBS-PS-SYS 350MM-14" ZINC	
OBBS-PS-SYS 400MM-16" ZINC	
OBBS-PS-SYS 450MM-18" ZINC	
OBBS-PS-SYS 500MM-20" ZINC	
OBBS-PS-CR 645MM ZINC	Stablizing Bar



Note: The quantity of slides will increase as the height increases

UNI-LINE WARDROBE SLIDING SYSTEM



OE-WS-UNL-80 2.4M STD








Features:

- High-end 2 door wardrobe sliding system
- Two shutters closes in the same line leaving no gap
- Soft open and soft close
- Suitable to use on wooden doors

Specifications:

- Weight: 80kg per door
- Door Height: upto 2400mm
- Shutter Thickness: 18-25mm
- Shutter width: 1025-1225 + SPT (Side Panel Thickness)




Accessories	Qty.	3D Drawing
Upper Rail	1	
Down Rail	1	
Upper Runner Middle Regulator	2	
Upper Runner side Regulator	2	
Down runner middle Regulator	2	
Down runner side Regulator	2	
15-8 Spanner	1	
Side Spring	2	

TOP GLIDE SYSTEM - 22 FOR TRIPLE DOORS WARDROBES



Specifications:

- Door Type: Wooden
- Door Width: 800-1500mm
- Door Height: Up to 2400mm
- Door Thickness: 18-25mm
- Door Installation: Overlay
- Load Carrying Capacity: 50Kg per door
- Track Length: 3m
- Application Type: Triple Door



Door Thickness
18-25mm



Weight Carrying
Capacity

TOP GLIDE SYSTEM - 22 W (for Triple Wooden Doors)

Product Code	OE-WS-TG22W-TR-3D STD NP Top Roller Set	OE-WS-TG1A/22-BR-3D STD NP Bottom Roller Set	OE-WS-TG22-TT 3M AN Top Track	OE-WS-TG1A/22-BT 3M AN Bottom Track	OE-WS-TG22-SC STD GREY Soft Close Mechanism
Product Image					
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set



Specifications:

- Door Type: Framed
- Door Width: 800-1500mm
- Door Height: Up to 2400mm
- Door Installation: Overlay
- Load Carrying Capacity: 50Kg per door
- Track Length: 3m
- Application Type: Triple Door



Weight Carrying
Capacity

TOP GLIDE SYSTEM - 22 F (for Triple Framed Doors)


Product Code	OE-WS-TG22F-TR-3D STD NP Top Roller Set	OE-WS-TG1A/22-BR-3D STD NP Bottom Roller Set	OE-WS-TG22-TT 3M AN Top Track	OE-WS-TG1A/22-BT 3M AN Bottom Track	OE-WS-TG22-SC STD GREY Soft Close Mechanism
Product Image					
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set

TOP GLIDE SYSTEM 22 FOR DOUBLE DOORS WARDROBE



Specifications:

- Door Type: Wooden
- Door Width: 800-1500mm
- Door Height: Up to 2400mm
- Door Thickness: 18-25mm
- Door Installation: Overlay
- Load Carrying Capacity: 50 kg per door
- Track Mounting: Top
- Application Type: Double Door


Door Thickness
18-25mm

50 Kg
Weight Carrying
Capacity

TOP GLIDE SYSTEM - 22 W (for Double Wooden Doors)

Product Code	OE-WS-TG22W-TR STD NP Top Roller Set	OE-WS-TG1A/22-BR STD NP Bottom Roller Set	OE-WS-TG22-TT 3M AN Top Track	OE-WS-TG1A/22-BT 3M AN Bottom Track	OE-WS-TG22-SC STD GREY Soft Close Mechanism
Product Image					
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set





Specifications:

- Door Type: Framed
- Door Width: 800-1500mm
- Door Height: Up to 2400mm
- Door Installation: Overlay
- Load Carrying Capacity: 50 kg per door
- Track Mounting: Top
- Application Type: Double Door


50 Kg
Weight Carrying
Capacity

TOP GLIDE SYSTEM - 22 F (for Framed Doors)


Product Code	OE-WS-TG22F-TR STD NP Top Roller Set	OE-WS-TG1A/22-BR STD NP Bottom Roller Set	OE-WS-TG22-TT 3M AN Top Track	OE-WS-TG1A/22-BT 3M AN Bottom Track	OE-WS-TG22-SC STD GREY Soft Close Mechanism
Product Image					
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set

TOP GLIDE SYSTEM - 1 FOR DOUBLE DOOR WARDROBES



Specifications:

- Door Width: 800-1500mm
- Door Height: Up to 2400mm
- Door Thickness: 18-25mm
- Load Carrying Capacity: 50Kg per door
- Door Installation: Inset
- Track Mounting: Top
- Application Type: Double Door




Door Thickness
18-25mm



Weight Carrying
Capacity

INSET SLIDING SYSTEM - 1A (for Wooden Doors)

Product Code	OE-WS-TG1A-TR STD NP Top Roller Set	OE-WS-TG1A/22-BR STD NP Bottom Roller Set	OE-WS-TG1A-TT 3M AN Top Track 3m length	OE-WS-TG1A/22-BT 3M AN Bottom Track 3m length
Product Image				
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)



Door Thickness
20-32mm



Weight Carrying
Capacity

INSET SLIDING SYSTEM - 1B (for Wooden Doors)

Product Code	OE-WS-TG1B-TR STD BLACK Top Roller Set	OE-WS-TG1B-BR STD BLACK Bottom Roller Set	OE-WS-TG1B-TT 3M AN Top Track - 3m length	OE-WS-TG1B-BT 3M AN Bottom Track 3m length
Product Image				
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)



OZOLINE PLUS SLIDING SYSTEM

Specifications:

- Door Thickness: 16-25mm
- Door Height: Up to 2400mm
- Door Width: 800-1200mm
- Track Length: 2/ 2.4/ 3/ 3.6M
- Types of Profile: Top, Bottom & Cover
- Door Height Adjustment: Up to 8mm
- Material: Aluminium
- Finish: Anodized & Black
- Damper Length: 338mm
- Load Carrying Capacity: 50kg Per Shutter
- Sliding Mechanism Finish: Grey

Features:

- Features self-cleaning tracks with brush-equipped rollers.
- Comes with a long damper featuring anti-jump and anti-decoupling functions for smooth and silent closing
- Height-adjustable sliding rollers for door alignment.
- Upgraded sliding roller locking mechanism with Allen key adjustment
- Installation screws are included for seamless setup
- Track equipped with cover to conceal fixing screws for better aesthetics

Product Image	Product Code	Description
	OE-SL-PLUS-TBR STD GREY	Rollers Kit (8 Nos. Rollers, Stopper, Allen Key)
	OE-SL-PLUS-SCLD STD GREY	Soft Close Mechanism 2 Nos.
TOP BOTTOM TRACK WITHOUT COVER		
	OE-SLP-TBT 2M AN	2m Top & Bottom Track, AN Finish
	OE-SLP-TBT 2.4M AN	2.4m Top & Bottom Track, AN Finish
	OE-SLP-TBT 3M AN	3m Top & Bottom Track, AN Finish
	OE-SLP-TBT 3.6M AN	3.6m Top & Bottom Track, AN Finish
	OE-SLP-TBT 2.4M BM	2.4m Top & Bottom Track, BM Finish
TOP BOTTOM TRACK WITH COVER		
	OE-SLP-TBTC 2M AN	2m Top & Bottom Track with Cover, AN Finish
	OE-SLP-TBTC 2.4M AN	2.4m Top & Bottom Track with Cover, AN Finish


OZOLINE 65 WARDROBE SLIDING SYSTEM

Features:

- Overlapping dual door system
- Suitable to use with single track as well as double track
- Superior spring mechanism for roller's better grip with track
- Smooth functioning and long life
- Soft closing and opening function (optional)

Specifications:

- Door type: Wooden
- Application type: Dual door
- Door Weight: up to: 65Kg.
- Door Thickness: 18-25mm
- Door Width: 800-1200mm
- Door Height: Up to 2400mm



Door Thickness
18-25mm



Weight Carrying
Capacity



Fitting Details:

Product Image	Product Code
	OE-SL65-TBR STD GREY Top Roller- 04 Bottom Roller- 04 Stopper- 04 (2 Door Kits)

Tracks:

	OE-SL65-TBT 2M AN OE-SL65-TBT 2.4M AN OE-SL65-TBT 3M AN OE-SL65-TBT 3.6M AN Top & Bottom Double Track- 01 set
	OE-SL65-S-TBT 2.4M AN OE-SL65-S-TBT 3.6M AN Top & Bottom Single Track- 01 set

Tracks:

	OE-SL65-TBT 2.4M BM Top & Bottom Double Track- 01 set
--	---

Soft Close Mechanism:

	OE-SL65-SCD STD GREY Soft Close Mechanism- 01 set
--	---

ECONOMY WARDROBE SLIDING SYSTEM



Features:

- Economy wardrobe sliding system
- Common flush track for top & bottom

Applications:

- Overhead cabinets
- Office cabinet
- Small wardrobes

Specifications:


- Load Carrying Capacity: 40Kg
- Door Thickness: 18-30mm
- Track Length: 2m & 4m

Fitting Set for 1 Door Consists:

- Top Rollers: 1 Set
- Bottom Rollers: 1 Set
- Stopper: 1 Set



Weight Carrying
Capacity



Door Thickness
18-30mm

Product Image	Product Code
	OE-WS-BG1-E STD NP Top & Bottom Roller Set for Single Door
	OE-WS-BG1-E-TRACK 2M AN OE-WS-BG1-E-TRACK 4M AN

SOFT OPENING & CLOSING BOTTOM GLIDE SYSTEM



OE-WS-BG1-D-SCO STD NP


Top & Bottom Roller Set for Double Door

Features:

- 2 door overlap wardrobe sliding system with both side soft close mechanism

Specifications:

- Door Thickness: Upto 18-23mm
- Door Weight: Upto 60Kg



Door Thickness
18-23mm



60 Kg
Weight Carrying
Capacity

Fitting Set for 2 doors consists

- Top Roller: 2 sets
- Bottom Roller: 2 sets
- Soft Close & Soft Open Mechanism: 4 pcs

SOFT CLOSE BOTTOM GLIDE SYSTEM



OE-WS-BG1-D-SC STD NP


Top & Bottom Roller Set for Double Door

Features:

- 2 door overlap wardrobe sliding system with both side soft close mechanism

Specifications:

- Door Thickness: Upto 18-23mm
- Door Weight: Upto 60Kg



Door Thickness
18-23mm




60 Kg
Weight Carrying
Capacity

Fitting Set for 2 doors consists

- Top Roller: 2 Sets
- Bottom Roller: 2 Sets
- Soft Close Mechanism: 2 Pcs
- Stopper: 2 Pcs

BOTTOM GLIDE SYSTEM



OE-WS-BG1-S STD NP


Top & Bottom Roller Set for Single Door

Features:

- Inset sliding shutters
- Bottom dom track
- Top & bottom rollers provide smooth sliding

Specifications:

- Door Type: Wood
- Application Type: Dual Door
- Door Weight: Upto 60kg
- Door Thickness: 18-23mm
- Track Mounting: Bottom
- Track Length: 2/3/4m For Double & Single Leaf Doors



Door Thickness
18-23mm







60 Kg
Weight Carrying
Capacity

System consists fittings for Single Door

- Top Roller: 1 Set
- Bottom Roller: 1 Set
- Stopper: 2 Pcs

TRACKS OPTIONS FOR BOTTOM GLIDE SYSTEMS

Product Code	Track Options	Drawing
OE-WS-BG1-TT 2M AN OE-WS-BG1-TT 3M AN OE-WS-BG1-TT 4M AN Top Track		
OE-WS-BG1-BT 2M AN OE-WS-BG1-BT 3M AN OE-WS-BG1-BT 4M AN Bottom Track		
OE-WS-BG1-S-TT 2M AN OE-WS-BG1-S-TT 3M AN OE-WS-BG1-S-TT 4M AN Top Track		
OE-WS-BG1-S-BT 2M AN OE-WS-BG1-S-BT 3M AN OE-WS-BG1-S-BT 4M AN Bottom Track		

TRANSCA GLASS WARDROBE



Features:

- Slim-profile design for modern aesthetics
- Glass panels on all sides
- Concealed and minimalist design
- Integrated soft-close mechanism for smooth functionality
- Compatible with Ozone Air Hinges

Available Finish

- Black Matt

Note: The product, including the customizations- size, accessories, and glass—will be available with a specified lead time.

Product Code	Size (mm)
OE-TRANSCA04-AH 900x600x2400MM STD BM	W-900 x D-600 x H-2400

TRANSCA GLASS WARDROBE



Features:

- Slim-profile design for modern aesthetics
- Glass panels on all sides
- Integrated soft-close mechanism for smooth functionality
- Compatible with Ozone Air Hinges

Components:

- In-Built LED Profile Shelf: 2 Nos.
- In-Built LED Profile Shelf With Hanger Rod: 1 No.
- Assortment Drawer: 1 No.
- Pull-Out Trousers Rack: 1 No.

Available Finish

- Black Matt

Note: The product, including the customizations- size, accessories, and glass—will be available with a specified lead time.

Product Code	Size (mm)
OE-TRANSCA02-RSCH 900x600x2400MM STD BM	W-900 x D-600 x H-2400

TRANSCA CROCKERY UNIT

**Features:**

- Slim-profile design for modern aesthetics
- Glass panels on all sides
- Concealed and minimalist design
- Integrated soft-close mechanism for smooth functionality
- Compatible with Ozone Air Hinges

Components:

- In-Built LED Profile Shelf: 2 Nos.
- Slim Pro Ergotec Drawer System: 2 Nos.

Available Finish

- Black Matt

Note: The product, including the customizations- size, accessories, and glass-will be available with a specified lead time.

Product Code	Size (mm)
OE-TRANSCA01-RSCH 900x600x2400MM STD BM	W-900 x D-600 x H-2400

TRANSCA WINE UNIT

**Features:**

- Slim-profile design for modern aesthetics
- Glass panels on all sides
- Concealed and minimalist design
- Integrated soft-close mechanism for smooth functionality
- Compatible with Ozone Air Hinges

Components:

- In-Built LED Profile Shelf: 2 Nos.
- Wine Rack: 3 Nos.

Available Finish

- Black Matt

Note: The product, including the customizations-size, accessories, and glass-will be available with a specified lead time.

Product Code	Size (mm)
OE-TRANSCA03-AH 900x600x2400MM STD BM	W-900 x D-600 x H-2400

LUMA DISPLAY UNIT



Features:

- Toughened glass for added safety and lasting durability.
- In-built LED for focused illumination of displayed items.
- 5mm glass thickness for strength with a slim profile.
- Smooth edges for safe everyday handling.
- Easy to install with concealed hardware integration.

Specifications:

- Load Carrying Capacity: 50Kg
- Size (WxDxH): 424x342x1604mm
- Frame Material: Aluminium
- Glass Type: Tempered Glas
- Glass Thickness: 5mm
- Installation Type: Standalone Plug-in Unit
- Hinges: Air Hinge(2 nos.)
- Number of Shelves: 3nos.
- Finish: Black
- In-built LED Color: Warm Light (3000K)
- Glass Coverage: All Sides

Product Code	Size (mm)
OZ-LUMA-R 1.6M STD BM	W-425 x D-342 x H-1604
OZ-LUMA-L 1.6M STD BM	W-425 x D-342 x H-1604

NOVA WALL HANGING SHELF



Features:

- Lightweight, rust-resistant, and durable for long-term use
- Space-saving design, ideal for compact homes
- Slim profile adds a clean, modern look
- Easy drill-mount installation
- Versatile use—kitchens, living areas, retail displays
- Plug-and-play LED connectivity for hassle-free setup

Specifications:

- Load Carrying Capacity: 20Kg
- Mounting Type: Wall Mount
- Number of Shelves: 5 nos.
- Dimension (WxDxH): 310 x 220 x 1590 mm
- Profile Finish: Black & Red
- In-built LED Color: White Light

Note: Use Universal Socket/ Universal Pin Socket adapter

Product Code	Size (mm)
OZ-NOVA 1500 BLACK	W-310 x D-220 x H-1590
OZ-NOVA 1500 RED	W-310 x D-220 x H-1590



SWIVEL SHOE RACK



ANTHGREY



MOCHA

Product Code
OZ-WBA-SSR 6LYR ANTHGREY
OZ-WBA-SSR 10LYR ANTHGREY
OZ-WBA-SSR 6LYR MOCHA
OZ-WBA-SSR 10LYR MOCHA

Size For 6 Layers: (W)700x(D)360x(H)1070-1270mm
Size For 10 Layers: (W)700x(D)360x(H)1630-1830mm



Scan QR for
Product Video



PULL-OUT SHOE RACK



ANTHGREY



MOCHA

Product Code
OZ-WBA-PSR 600MM ANTHGREY
OZ-WBA-PSR 900MM ANTHGREY
OZ-WBA-PSR 600MM MOCHA
OZ-WBA-PSR 900MM MOCHA

Size For 600mm: (W)564x(D)455x(H)170mm
Size For 900mm: (W)864x(D)455x(H)170mm

Supplied With Undermount
Soft Close Runner with Cover



Scan QR for
Product Video



PULL-OUT TROUSER RACK



ANTHGREY



MOCHA

Product Code
OZ-WBA-TR 600MM ANTHGREY
OZ-WBA-TR 900MM ANTHGREY
OZ-WBA-TR 600MM MOCHA
OZ-WBA-TR 900MM MOCHA

Size For 600mm: (W)564x(D)455x(H)50mm
Size For 900mm: (W)864x(D)455x(H)50mm

Supplied With Under Mount
Soft Close Runner with Cover




Scan QR for
Product Video



PULL OUT HANGER DUAL WING



ANTHGREY



MOCHA

Product Code
OZ-WBA-DTR 900MM ANTHGREY
OZ-WBA-DTR 900MM MOCHA

Cabinet Size: 700mm
Size: 630(W) x 455(D) x 115(H)mm

Equipped With Soft Close Runner



Scan QR for
Product Video



PULL OUT HANGER SINGLE WING



ANTHGREY



MOCHA

Product Code
OZ-WBA-STR 600MM ANTHGREY
OZ-WBA-STR 600MM MOCHA

Cabinet Size: 500mm
Size: 330(W) x 455(D) x 115(H)mm

Equipped With Soft Close Runner



Scan QR for
Product Video



HANGER PULL DOWN



ANTHGREY



MOCHA

Product Code
OZ-WBA-01-HL STD ANTHGREY
OZ-WBA-01-HL STD MOCHA

Cabinet Size: 960mm
Size: 920-1240(W) x 140(D) x 840(H)mm
Load Carrying Capacity: Up To 12Kg

With Integrated Soft Close Mechanism



RATTAN BASKET



ANTHGREY



MOCHA

Product Code
OZ-WBA-RB 600MM ANTHGREY
OZ-WBA-RB 900MM ANTHGREY
OZ-WBA-RB 600MM MOCHA
OZ-WBA-RB 900MM MOCHA

Size For 600mm: (W)564x(D)455x(H)172mm
Size For 900mm: (W)864x(D)455x(H)172mm

Supplied With Under Mount
Soft Close Runner with Cover




Scan QR for
Product Video



ASSORTMENT DRAWER



ANTHGREY



MOCHA

Product Code
OZ-WBA-AB 600MM ANTHGREY
OZ-WBA-AB 900MM ANTHGREY
OZ-WBA-AB 600MM MOCHA
OZ-WBA-AB 900MM MOCHA

Size For 600mm: (W)564x(D)455x(H)59mm
Size For 900mm: (W)864x(D)455x(H)59mm

Supplied With Under Mount
Soft Close Runner with Cover



Scan QR for
Product Video



LEATHER STORAGE BASKET



Product Code
OZ-WBA-LSB 600MM MOCHA
OZ-WBA-LSB 900MM MOCHA

Size For 600mm: (W)564x(D)465x(H)172mm
Size For 900mm: (W)864x(D)465x(H)172mm

Features:

- Side Mount Design – Easy access and convenient use
- Waterproof Build – Gentle on fabric
- Concealed Soft-Close Runners – Smooth, silent operation

Supplied With Undermount
Soft Close Runner with Cover



TIE RACK PULL OUT



Product Code
OZ-WBA-TIE 600MM MOCHA

Size For 600mm: (W)100x(D)430x(H)80mm

Features:

- Space-Saving Design – Does not restrict cabinet usability
- Quiet, effortless operation
- Flexible Installation – Can be mounted on left or right side



EXTENDED ASSORTMENT RACK



Product Code
OZ-WBA-RLSB 600MM MOCHA

Size For 600mm: (W)500-800x(D)410x(H)60mm

Features:

- Wide Compatibility – Fits wardrobe drawers from 500–800 mm
- Leather-Wrapped Compartments – Elegant look and feel
- Accessory Organizer – Ideal for jewellery, ties, watches & more
- Leather-Lined Base – Anti-slip with reduced noise



WATCH WINDER



6 Watch



4 Watch

OZ-WBA-WA6W 900MM GREY

Size: 860(W) x 428(D) x 200(H)mm

OZ-WBA-WA4W 800MM GREY

Size: 760(W) x 420(D) x 195(H)mm

Features:

- Customizable Rotation Settings
- Silent Operation
- Fingerprint Security
- Power Options
- Led Lighting
- Premium Materials and Finishes
- Versatile Application



WARDROBE TUBE-RECTANGULAR WITH BRACKET



OZ-WBA-RR 3M ANTHGREY

Rectangular Rail
Cross Section: 30x12 mm
Finish: Metallic Grey



OZ-WB-ACC-BR STD ANTHGREY

Wall Bracket
12.7x24x40.5mm
Finish: Metallic Grey



Scan QR for
Product Video

DOOR STRAIGHTENER



OZ-WBA-DS 2500MM GREY

Length of Rod: 1055 mm
Number of Rods: 2 Nos.
Door Thickness: 18-24 mm
Finish: Silver Grey
Material: Steel & Plastic
Door Height: 1000-2600 mm
Diameter of End Connector: 35 mm



Note: Can be used in multiples for wider shutters Use two sets when door width is more than 600mm



LAUNDRY BASKET



Space
Optimization



Soft
Close



Easy
To Use



Sturdy
& Durable

Features:

- PP based laundry basket for organizing clothes
- Side-mounted design for smooth usability
- Durable material ensures longevity
- Comes with a soft-close drawer slide for a seamless experience

Specifications:

- Load Carrying Capacity: 20kg
- Cabinet Width: 600mm
- System Height: 275mm
- Minimum Carcass Inner Depth: 530mm
- Minimum Inner Height Required: 350mm
- Material: Polypropylene (PP)
- Finish: White



Scan QR for
Product Video

Product Code

OZ-WBA-PLB 600MM WH

**Features**

- Dual functionality allows seamless transition between bed and table
- Maximizes available space in the room
- Engineered for stability and safety in both configurations
- Incorporates a secure locking mechanism to keep the bed and table in place when in use

Specifications**For Bed:**

- Bed Size(WxL): 1200x2000mm
- Bed Frame Static Load Carrying Capacity: 500kg
- Bed Frame Salt Spray Tested: 48 Hrs
- Mattress Size(WxLxT): 1200x1850x150mm
- Mattress Weight: Upto 30kg
- In-Built Mattress Strap With Bed Frame
- Bed Pump Capacity: 550N
- Bed Pump Cycles Tested: 50,000

For Foldable Table:

- Width: 610mm
- Length: 1360mm
- Height: 740mm
- Gas Pump Capacity: 70N
- Gas Pump Cycles Tested: 50,000



Product Code	
OE-WBMSB-FTM 1.2x2M GREY	Swivel Bed to Foldable Table Mechanism
OE-WBMSB-NT 1.2x2M GREY	Swivel Bed Mechanism




Features:

- Concealed wall bed design
- Horizontal foldable wall mount system
- Motorized mechanism with remote option
- Easy to open/close
- Adds style, comfort & flexibility



Specifications:

- Bed Size: Queen Size (1500x2000mm)
- Mechanism Type: Motorized
- Bed Orientation: Horizontal
- Usage Mode: Remote
- Finish: Grey
- Maximum Mattress Thickness: 150mm
- Minimum Inner Carcass Size: 2010(W) x 382(D) x 1715(H)mm
- Maximum Mattress Weight: 30Kg

Open wall bed



Close wall bed



Product Code

OZ-WBH-A-SF 1.5x2M STD

Note: Mattress, wooden carcass, and sofa are not included in all Horizontal and Vertical Bed Range

**Features:**

- Concealed wall bed design for a convertible bed
- Ideal solution for space-saving designs
- Vertical foldable wall mount system
- Adds style, comfort & flexibility to your home

Specifications:

- Bed Size (WxL): 1500x2000mm
- Salt Spray Tested For Bed Frame: 48 Hrs.
- Mattress Weight: Upto 30kg
- Bed Pump Capacity: 1300 N
- Bed Pump Cycles Tested: 50,000
- Maximum Mattress Thickness: 150mm
- Minimum Inner Carcass Size (WxDxH): 1610x382x2107mm

Product Code
OZ-WBV-M 1.5x2M STD

Note: Mattress, wooden carcass, and sofa are not included in all Horizontal and Vertical Bed Range

VERTICAL FOLDABLE WALL MOUNT BED - WITH AUTOMATIC MECHANISM



**FOLD UP TO
MAKE A SOFA**



OZ-WBV-A-SF 1.2x2M STD

Features:


- Concealed wall bed design
- Vertical foldable wall mount system
- Motorized mechanism with remote option
- Sofa available in vertical and horizontal options
- Easy to open/close
- Adds style, comfort & flexibility

Dimension:

1200mm x 2000mm (WxL)



Remote
Control




**Mattress is not included*

VERTICAL FOLDABLE WALL MOUNT BED - WITH AUTOMATIC MECHANISM



**FOLD UP THE BED
TO MAKE A
WORKING TABLE**



OZ-WBV-A-TB 1.2x2M STD

Features:


- Concealed wall bed design
- Vertical foldable wall mount system
- Motorized mechanism with remote option
- Table available in vertical and horizontal options
- Adds style, comfort & flexibility

Dimension:

1200mm*2000mm (W*L)



Remote
Control



**Mattress, wooden carcass are not included.*

Note: Mattress, wooden carcass, and sofa are not included in all Horizontal and Vertical Bed Range



**WOODEN
BED SLATES**

New



Scan QR for
Product Video

OZONE EASY FIT SYSTEM



Features:

- Gas pump lift-up enabled bed frame
- Integrated wooden slats with pre-mounted hardware
- Heavy-duty construction for daily use
- Access storage with minimal effort

Specifications:

- Dead Load Carrying Capacity: 300Kg
- Material: Iron
- Tube Size: 30x30x1mm
- Frame Size: K-1830x2000mm | Q-1525x2000mm
- Surface Treatment: Powder Coating
- Slat Wood Type: Poplar Wooden Lacquered Slat
- No. of Slats:
 - For 1830mm Frame Size: 42 nos.
 - For 1525mm Frame Size: 28 nos.

Components:

- Bed Frame with wooden slats- 1 Set
- Lift-Up Bed Frame – 1500HD Model- 1 Set
- L-Shaped Frame Support Bracket- 1 Pc
- Center Cross Bar- 1 Pc
- Corner Support for Bed- 2 Pcs
- Fabric Pull Handle- 1 Pc
- Mattress Support Belt- 1 Pc
- Child Safety Latch- 1 Pair

Product Code

OE-BFWS-SYS-K BLACK

OE-BFWS-SYS-Q BLACK

Note: 1500-2000N pump to be purchased separately

BED FRAME WITH SLATS & CROSSBAR SUPPORT



Features:

- Sturdy metal frame with pre-attached wooden slats
- Easy assembly with support legs
- Ideal for standard fixed beds
- Compatible with various mattress types

Specifications:

- Dead Load Carrying Capacity: 300Kg
- Material: Iron
- Tube Size: 30x30x1mm
- Frame Size: K-1830x2000mm
Q-1525x2000mm | S-825x2000mm
- Surface Treatment: Powder Coating
- Slat Wood Type: Poplar Wooden Lacquered Slat
- No. of Slats:
 - For 1830mm Frame Size: 42 nos.
 - For 1525mm Frame Size: 28 nos.
 - For 825mm Frame Size: 13 nos.

Product Code
OE-BFWS-K BLACK
OE-BFWS-Q BLACK
OE-BFWS-S BLACK

WOODEN SLATS



Features:

- High-quality curved wooden slats
- Available in multiple sizes
- Ideal for retrofitting or DIY bed projects
- Excellent mattress ventilation and support

Specifications:

- Slat Size: S-820x53x9mm | Q-757x53x9mm | K-605x53x9mm
- Slat Wood Type: Poplar Wooden Lacquered Slat
- No. of Slats:
 - For 820mm Slat Size: 13 nos.
 - For 757mm Frame Size: 28 nos.
 - For 605mm Frame Size: 42 nos.

Product Code
OE-WS-S STD
OE-WS-Q STD
OE-WS-K STD

Note: (K)- King Size 1830x2000mm | (Q)- Queen Size 1525x2000mm | (S)- Single Size 825x2000mm

OPTIONAL ACCESSORIES

Product Code	DESCRIPTION	UNIT
OE-BFWS-LFS BLACK	L Shape Frame Support	1 Pc
OE-BFWS-CBS-K BLACK	Center Cross bar Rod	1 Pc
OE-BFWS-CBS-Q BLACK		
OE-BFWS-CBS-S BLACK		
OE-BFWS CS BLACK	Corner Support for bed (it hold the frame)	2 Pcs
OE-BFWS-HANDLE BLACK	Cloth Handle Black Colour	1 Pc
OE-BFWS-BELT-K BLACK	Belt for support the mattress- Black Colour	1 Pc
OE-BFWS-BELT-Q BLACK		
OE-BFWS-BELT-S BLACK		
OZ-CSL-14MM BLUE	Child Safety Latch	1 Pair
OE-BLU-FN-HD 1500MM BLACK	Bed lift up frame -1500HD	1 Set
OE-BFWS-MS BLACK	Mattress Stopper (it hold the mattress)	2 Pcs



BED LIFT-UP SYSTEM

Features:

- New improved design for better stability in operation
- Simple and effortless opening mechanism
- Wide opening angle enables complete & easy access to bed interior
- Convenient screw-on installation



Load Capacity



Wide Opening Angle



Easy to Lift

Specifications:

- Frames Sizes (L): 520mm, 900mm, 1200mm, 1500mm & 1500mm UHD
- Load Bearing Arm Thickness: 6mm
- Top Frame Thickness: 500-1500mm: 4mm & 1500mmUHD: 5mm
- Pump Loading Capacity: 500N, 750N, 1000N, 1200N, 1500N, 1750N HD & 2000N HD
- Pump Size (CTC): 343mm
- Frame & Pump Finish: Black




Scan QR for
Product Video

Frame Image	Length	Product Code
	520MM	OE-BLU-FN 520MM BLACK
	900MM	OE-BLU-FN-HD 900MM BLACK
	1200MM	OE-BLU-FN-HD 1200MM BLACK
	1500MM	OE-BLU-FN-HD 1500MM BLACK
	1500MM	OE-BLU-FN-UHD 1500MM BLACK

Pump Image	Load Carrying Capacity	Product Code
	50kg	OE-BLU-PN 500N BLACK
	75kg	OE-BLU-PN 750N BLACK
	100kg	OE-BLU-PN 1000N BLACK
	120kg	OE-BLU-PN 1200N BLACK
	150kg	OE-BLU-PN 1500N BLACK
	175kg HD	OE-BLU-PN-HD 1750N BLACK
	200kg HD	OE-BLU-PN-HD 2000N BLACK

Note: For dead load range and bed size details, please refer to the master catalogue.

CHILD SAFETY LATCH



Product Code	Load capacity
OZ-CSL-10MM BLUE	500N-1200N (50-120 KG)
OZ-CSL-14MM BLUE	1500N-2000N (150-200 KG)

Note: place order according to the given load capacity.



OZOFIX: 3 PART SYSTEM

CAM



OZ-MF-01-L-H 15/15MM STD
OZ-MF-01-L-H 15/18MM STD

Board Thickness 15/18 mm
Unit: Pkt. 500 Pcs.

TWISTER BOLT



OZ-MF-02 34MM STD
Twister Bolt with M6 Thread &
Black Plastic
Unit: Pkt. 500 Pcs.

SOCKET



OZ-MF-03-E 8MM NATURAL
OZ-MF-03-E 10MM NATURAL
Expandable Nylon Socket
Unit: Pkt. 500 Pcs



OZ-MF-03 10MM
OFFWH
OZ-MF-03 8MM
OFFWH
Non-Expandable
Nylon Socket
Unit: Pkt. 500 Pcs

OZOFIX: 2 PART SYSTEM

CAM



OZ-MF-01-L-H 15/15MM STD
OZ-MF-01-L-H 15/18MM STD
Board Thickness 15/18 mm
Unit: Pkt. 500 Pcs.

TWISTER BOLT



OZ-MF-02EU 34MM STD
Twister Bolt with Euro Thread &
Black Plastic
Unit: Pkt. 500 Pcs.



Scan QR for Product
Installation Video

COVER CAP



OZ-MF-ACC-01N STD BR
OZ-MF-ACC-01N STD WH
OZ-MF-ACC-01N STD BLACK
Plastic Cap for Ozofix Cam
Unit: Pkt. 500 Pcs.

WOODEN DOWEL



OZ-WD-SL 6x35MM STD
Wooden Dowel Pin
Unit: Pkt. 500 Pcs.



OZ-WD-SL 8x40MM STD
Wooden Dowel Pin
Unit: Pkt. 500 Pcs.

OTHER CONNECTING FITTINGS

CABINET CONNECTOR



OZ-CC-5/29 30-40MM NP
Sleeves and Screws
Unit: Pkt. 500 Pcs.

New

INSERT NUT



OZ-STI M6X10MM STD
OZ-STI M6X12MM STD
OZ-STI M6X15MM STD
OZ-STI M6X18MM STD
OZ-STI M6X20MM STD
Insert Nut & Leveller
Unit: Pkt. 500 Pcs.

PLINTH SCREW



OZ-PS M6x10MM STD
OZ-PS M6x24MM STD
OZ-PS M6x40MM STD
Insert Nut & Leveller
Unit: Pkt. 500 Pcs.

HEXAGONAL PLINTH SCREW



OZ-HX-PS M6X25MM STD
Insert Nut & Leveller
Unit: Pkt. 500 Pcs.

PUSH CATCHER



OZ-PMC STD WH
Push Catcher

MAGNETIC CATCHER



OZ-MC STD SSS
Magnetic Door Catcher

BUTTERFLY



OE-CF-B STD ZINC
Butterfly type Connection Fitting
Unit: Pkt. 50 Pcs.

MAGNETIC PUSH CATCHER

New



OK-POMC-106-CON GREY
Concealed

New



OK-POMC-124 GREY
Screw-on Adaptor Plate

New



OK-POMC-66 GREY
Screw-on Adaptor Plate

SHELF SUPPORT FOR GLASS



OZ-SHL-G01 STD CP
Glass Shelf
Unit: Pkt. 500 Pcs



OZ-SHL-G02 STD CP
Glass Shelf
Unit: Pkt. 500 Pcs



OZ-SHL-G03 STD CP
Glass Shelf
Unit: Pkt. 250 Pcs



OZ-SHL-G04 STD CP
Glass Shelf
Unit: Pkt. 250 Pcs



OZ-SHL-G05 STD NATURAL
Glass Shelf
Unit: Pkt. 500 Pcs

New

SHELF SUPPORT FOR WOODEN

New



OZ-SHL-W01 STD WH
Wooden Shelf
Unit: Pkt. 500 Pcs

New



OZ-CSS-20
Concealed Shelf Support
Unit: Pkt. 500 Pcs



OZ-SHL-W05 STD CP
Wooden Shelf
Unit: Pkt. 500 Pcs



OZ-SHL-W06 STD CP
Wooden Shelf
Unit: Pkt. 500 Pcs



OZ-SHL-W07 STD CP
Wooden Shelf
Unit: Pkt. 500 Pcs

NEUTRO-01




SPEEDY
by OZONE

Fingerprint Lock

For Sliding & Swing Wooden Doors, Wardrobes Sliding Doors, Hinge Swing Doors, Drawers Pull-outs etc.


Door Thickness: 15-25mm

Fingerprint Sensor




USB port

Front Panel



Strike Plate



Back Lock

Note: Other depths available against request

Product Code

OEFL-NEUTRO-W-01 STD BLACK



Fingerprint



Scan QR for
Product Video

NEUTRO-02




SPEEDY
by OZONE


Fingerprint Lock

For Hinge Swing Doors & Drawers Pullouts

Door Thickness: 20-25mm



Lock Body



Front Panel

Note: Other depths available against request

Product Code

OEFL-NEUTRO-02 STD BLACK



Fingerprint



Scan QR for
Product Video

**Features:**

- Operates efficiently on a coin cell battery for long-lasting use.
- Simple pin-reset function for quick access management.
- Switch easily between Public and Private mode to suit your usage.
- Designed for hassle-free, easy setup.

Specifications:

- Access Mode: Fingerprint
- Furniture Type: Glass Wardrobes
- Battery: Coin Cell Battery-CR2450
- Glass Thickness: 5mm
- Admin Fingerprint: 2 nos.
- User Fingerprint: 8 nos.
- Front Panel Material: Aluminium Alloy + ABS
- Finish: Black
- Lock Body: Full Metallic
- Modes: Public & Private

Application Area:

Glass Cabinets & Glass Wardrobe



Product Code	Compatible Profile
OEFL-NEUTRO-03 A BLACK	Aero Series-Curve Profile
OEFL-NEUTRO-03 B BLACK	Aero Series-Straight Profile

TOWER BOLT**Specifications:**

- Available Sizes: 10" and 20" lengths
- Finish: Black
- Compatibility: Designed for aluminium frame & wooden shutters
- Material: Aluminium
- Easy Installation


Product Code	Product Image Tower Bolt
OE-TB-10" BLACK	
OE-TB-20" BLACK	





FINGERPRINT FURNITURE LOCK



OZFL-602



OZFL-605



Lockbody

Features:


- Fingerprint Access
- Auto-Locking System
- Handle Integrated Design
- Supports 10 Fingerprints
- Type-C Emergency Power Port
- Strong Zinc Alloy Body
- Battery Operated (3 AAA)
- Suitable for Wooden & Metal Furniture
- Easy Installation
- Modern & Compact Design

Specifications:

- Access Mode: Fingerprint
- Fingerprint Capacity: 10 (2 Admin + 8 Users)
- Door Thickness: 0.5–30 mm
- Battery: 3 AAA (Included)
- Charging Port: Type-C
- Material: Zinc Alloy
- Locking Type: Automatic Locking System

Application Area:

Wooden & Metal Drawers/Cabinets





**MECHANICAL
LOCK**

CIRCULAR MP LOCK



Plastic Key

Steel Key

Specifications

- Door Thickness: Up To 20mm
- With Curved Rectangular Bolt
- Lock Body Dia: 40mm
- Barrel Dia: 16mm
- Barrel Length: 20mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code

OE-MPL-RP 22MM CP

OE-MPL-RS 22MM CP

LATCH MP LOCK



Plastic Key

Steel Key

Computerized key

Specifications

- Door Thickness: Up To 22mm
- With Triangular Auto Latch Bolt
- Lock Body Size: 42x42mm
- Barrel Dia: 19mm
- Barrel Length: 22mm
- Key Type: Reversible Computerized Key
- Key Material: Nickel Steel, Plastic Head
- Max Key Combination: 3000
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code

OE-MPL-12P 22MM CP

OE-MPL-12S 22MM CP

SQUARE MP LOCK WITH MECHANICAL KEY 32MM



Plastic Key

Steel Key

Specifications

- Door Thickness: Up To 32mm
- With Rectangular Bolt
- Lock Body Size: 40x40mm
- Barrel Dia: 19mm
- Barrel Length: 32mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code

OE-MPLP 32MM CP

OE-MPLS 32MM CP

SQUARE MP LOCK WITH MECHANICAL KEY 22MM



Plastic Key

Steel Key

Specifications

- Door Thickness: Up To 22mm
- With Rectangular Bolt
- Lock Body Size: 40x40mm
- Barrel Dia: 19mm
- Barrel Length: 22mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code

OE-MPLP 22MM CP

OE-MPLS 22MM CP

SQUARE MP LOCK WITH COMPUTER KEY



Computerized key

Plastic Key

Steel Key

Specifications

- Door Thickness: Up To 22mm
- With Rectangular Bolt
- Lock Body Size: 40x40mm
- Barrel Dia: 19mm
- Barrel Length: 22mm
- Key Type: Reversible Computerized Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 3000
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code

OE-MPL-11P 22MM NP

OE-MPL-11S 22MM NP

UNIVERSAL LOCK



Specifications

- Door Thickness: Up To 32mm
- With Rectangular Bolt
- Barrelless Lock
- Key Type: Non-Reversible Lever Key
- Key Material: Nickel Steel
- Max. Key Combination: 72
- Lock Material: Mild Steel
- Supplied With Housing For Key & Bolt And Two Keys

Product Code

OE-CL-33 STD SSS

MULTI DRAWER 500/580 LOCK FRONT MOUNTED



Specifications

- Drawer Front Thickness: Up To 20mm
- Front Mounted Lock Operable From Front
- Barrel Dia: 16.5mm
- Barrel Length: 20mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast (Lock Body) Aluminium (Locking Rod)
- Supplied In Combination Of Two Rod Sizes 500mm (3 Drawer Pedestal) & 580mm (4 Drawer Pedestal)
- Supplied With Two Keys

Product Code	Product Code
OE-MDL-3PP 500MM CP	OE-MDL-3PS 500MM CP
OE-MDL-4PP 580MM CP	OE-MDL-4PS 580MM CP

MULTI DRAWER 500/580 LOCK SIDE MOUNTED



Specifications

- Drawer Front Thickness: Up To 20mm
- Side Mounted Lock Operable From Side
- Barrel Dia: 16.5mm
- Barrel Length: 20mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast (Lock Body) Aluminium (Locking Rod)
- Supplied In Combination Of Two Rod Sizes 500mm (3 Drawer Pedestal) & 580mm (4 Drawer Pedestal)
- Supplied With Two Keys

Product Code	Product Code
OE-MDL-3P-SMP 500MM CP	OE-MDL-3P-SMS 500MM CP
OE-MDL-4P-SMP 580MM CP	OE-MDL-4P-SMS 580MM CP

MULTI DRAWER LOCK WITHOUT ROD



Specifications

- Drawer Front Thickness: Up To 20mm
- Front Mounted Lock Operable From Front
- Barrel Dia: 16.5mm
- Barrel Length: 20 Mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code
OE-PDLP STD CP
OE-PDLS STD CP

REGULAR SIZE CUPBOARD LOCK



Specifications

- Door Thickness: Up To 25mm
- With Rectangular Bolt
- Barrel Dia: 18mm
- Barrel Length: 25mm
- Key Type: Reversible Computerized Key
- Key Material: Brass
- Cylinder Material: Brass
- Max. Key Combination: 1700
- Lock Material: Steel
- Supplied With Two Brass Keys

Product Code
OE-CL-11 20/25MM SSS

REGULAR SIZE CUPBOARD LOCK



Specifications

- Door Thickness: Up To 32mm
- With Rectangular Bolt
- Barrel Dia: 18mm
- Barrel Length: 32mm
- Key Type: Reversible Computerized Key
- Key Material: Brass
- Cylinder Material: Brass
- Max. Key Combination: 1700
- Lock Material: Steel
- Supplied With Two Brass Keys

Product Code
OE-CL-11 32MM SSS

SMALL CUPBOARD LOCK



Specifications

- Door Thickness: Up To 21/25mm
- With Rectangular Bolt
- Barrel Dia: 18mm
- Barrel Length: 21/25mm
- Key Type: Reversible Computerized Key
- Key Material: Brass
- Cylinder Material: Brass
- Max. Key Combination: 700
- Lock Material: Steel
- Supplied With Two Brass Keys

Product Code
OE-CL-22 21MM SSS
OE-CL-22 25MM SSS

PUSH WARDROBE SLIDING DOOR LOCK



Plastic Key



Steel Key

Specifications

- Sliding Shutter Thickness: Up To 22/32mm
- Barrel Dia: 19mm
- Barrel Length: 22/32mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code	Product Code
OE-WSL2-22P STD CP	OE-WSL2-22S STD CP
OE-WSL2-32P STD CP	OE-WSL2-32S STD CP

TWIST & TURN SLIDING DOOR LOCK



Computerized key



Plastic Key



Steel Key

Specifications

- Sliding Shutters Thickness: Up To 25mm
- Barrel Dia: 18mm
- Barrel Length: 10 Mm
- Lock Body Depth: 24mm
- Key Type: Reversible Computerized Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 3000
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code
OE-WSL1-25P STD NP
OE-WSL1-25S STD NP

CUPBOARD LOCK WITH CRANKED BOLT



Plastic Key



Steel Key

Specifications

- Door Thickness: Up To 22mm
- With Cranked Bolt For Overlay Shutters
- Barrel Dia: 18mm
- Barrel Length: 22mm
- Key Type: Reversible Mechanical Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 120
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code
OE-CL-CP 22MM CP
OE-CL-CS 22MM CP

THREE POINT CUPBOARD LOCK



Computerized key



Plastic Key



Steel Key

Specifications

- Door Thickness: Up To 32 mm
- Supplied With Rod Length Of 1000mm & 2000mm (2m Means 2x1000mm Rod & 3m Means 1x1000mm +1x2000mm Rod)
- Barrel Dia: 19mm
- Barrel Length: 22mm
- Key Type: Reversible Computerized Key
- Key Material: Nickel Steel, Plastic Head
- Max. Key Combination: 3000
- Lock Material: Zinc Die Cast
- Supplied With Two Keys

Product Code
OE-CL-3P-22P 2M CP
OE-CL-3P-22P 3M CP
OE-CL-3P-32P 2M CP
OE-CL-3P-32P 3M CP
OE-CL-3P-22S 2M CP
OE-CL-3P-22S 3M CP
OE-CL-3P-32S 2M CP
OE-CL-3P-32S 3M CP



DRAWER LOCKS

**Specifications**

- Lock Case- SS304
- Cylinder Body- Brass
- Cylinder Barrel- Brass
- Deadbolt- Brass
- Key- Brass
- Key Type- Dimple key
- No. of Keys- 2 nos.

Product Code

OFL-DRR-920

OFL-DRR-925

OFL-DRR-930

OFL-DRR-935

CUPBOARD LOCKS

**Specifications**

- Lock Case- SS304
- Cylinder Body- Brass
- Cylinder Barrel- Brass
- Deadbolt- Brass
- Key- Brass
- Key Type- Dimple key
- No. of Keys- 2 nos.

Product Code

OFL-CBB-925

OFL-CBB-930

OFL-CBB-935

OFL-CBB-940

CENTER SLIDING LOCKS

**Specifications**

- Body: Zinc
- Deadbolt: Zinc
- Housing & Barrel: Brass
- Key: Brass

Product Code

OFL-CSL-925

OFL-CSL-930

SIDE SLIDING LOCKS

**Specifications**

- Side Sliding Lock
- Body: Aluminium
- Deadbolt: Zinc
- Housing & Barrel: Brass
- Key: Brass

Product Code

OFL-SSL-925

OFL-SSL-930

Product Code

OFL-SSL-930-CS

OFL-SSL-925-CS



Specifications:

- Load Carrying Capacity: Up to 100kg (Including panel weight)
- Bracket Sheet Thickness: 1.2mm
- Maximum Panel Depth: 50mm + Table Bracket Size
- Available Size: 300mm to 600mm
- Maximum Panel Width: Up to 750mm
- Panel Thickness: 16-25mm
- Material: Steel
- Finish: Grey

Product Code
OZ-TB-100 300MM-12" GREY
OZ-TB-100 400MM-16" GREY
OZ-TB-100 500MM-20" GREY
OZ-TB-100 600MM-24" GREY





MOTORISED TABLE MECHANISM

THREE LEG AT 90° TABLE MECHANISM WITH DUAL MOTORS



OZ-SMT-3L STD BLACK*

Features:

- Triple leg adjustable table frame with dual 3 stage motor
- With inbuilt child lock features for avoiding accidents
- Mechanism with storage of 4 heights as memory function
- Silent & smooth movement with adjustment for every mm
- Adjustment control button for up/down movements

Specifications:

- Height Adjustment Range: 610-1260mm
- Stroke Length: 650mm
- Table Frame Width Adjustment Range: (1004-1794mm) +(555-950mm)
- Height Adjustment Speed: 32mm/S
- Load Carrying Capacity: 150Kg
- Noise Level (Db): <50db
- Input Power (V): Ac 100-220v @50-60hz
- Recommended Desk/Table Top Size(LxW): (1000-1800mm)+(555-1000)]X(600-800mm)

DUAL LEG TABLE MECHANISM WITH DUAL MOTORS



OZ-SMT-2L STD BLACK

Features:

- Dual leg adjustable table frame with dual 3 stage motor
- With inbuilt anti collision sensor and safety control
- Mechanism with storage of 4 heights as memory function
- Silent & smooth movement with adjustment for every mm
- Adjustment control button for up/down movements

Specifications:

- Height Adjustment Range: 610-1260mm
- Stroke Length: 650mm
- Table Frame Width Adjustment Range: 1007-1800mm
- Height Adjustment Speed: 32mm/S
- Maximum Load Carrying Capacity: 120Kg
- Noise Level (Db): <50db
- Input Power (V): Ac 100-220v @50-60hz
- Recommended Desk/Table Top Size(LxW): (1000-1800mm)X(600-800mm)

DUAL LEG TABLE MECHANISM WITH DUAL MOTORS



OZ-SMT-2L-2S STD BLACK

Features:

- Dual Motor, 2 Stage Performance
- Ergonomic Sit-to-Stand Adjustment (720–1200 mm)
- 3-Touch Memory Height Presets
- Supports Loads up to 120 kg
- Ultra-Quiet Operation (<50 dB)
- Wide Tabletop Compatibility
- Anti-Slip Stability & Floor Protection

Specifications:

- Height Adjustment Range: 720–1200mm
- Stroke Length: 480mm
- Height Adjustment Speed: 20mm/s
- Noise Level: < 50dB
- Input Power: AC 100–220V, 50–60Hz
- Recommended Tabletop Size: (L) 1000–1800mm (W) 600–800mm
- Motor Type: Dual Motor

DUAL LEG TABLE MECHANISM WITH SINGLE MOTOR



OZ-SMT-2L-1M STD BLACK*

Features:

- Dual leg adjustable table frame with single 2 stage motor
- With inbuilt child lock features for avoiding accidents
- Mechanism with storage of 4 heights as memory function
- Silent & smooth movement with adjustment for every mm
- Adjustment control button for up/down movements

Specifications:

- Height Adjustment Range: 720-1200mm
- Stroke Length: 480mm
- Table Frame Width Adjustment Range: 1000-1600mm
- Height Adjustment Speed: 20mm/S
- Maximum Load Carrying Capacity: 80Kg
- Noise Level (Db): <50db
- Input Power (V): Ac 100-220v @50-60hz
- Recommended Desk/Table Top Size(LxW): (1000-1600mm)X(600-800mm)

SINGLE LEG TABLE MECHANISM WITH SINGLE MOTOR



OZ-SMT-1L STD BLACK

Features:

- Single leg adjustable table frame with dual 3 stage motor
- With inbuilt anti collision sensor and safety control
- Mechanism with storage of 4 heights as memory function
- Silent & smooth movement with adjustment for every mm
- Adjustment control button for up/down movements

Specifications:

- Height Adjustment Range: 610-1260mm
- Stroke Length: 650mm
- Height Adjustment Speed: 32mm/S
- Maximum Load Carrying Capacity: 120Kg
- Noise Level (Db): <50db
- Input Power (V): Ac 100-220v @50-60hz
- Recommended Desk/Table Top Size(LxW): (750-900mm)X(500-600mm)

VERTEBRAE (CABLE ORGANIZER)



OZ-VRB 1.3M BLACK

Cable Organizer

Features:

- Suitable for work stations or desks
- Conceals electric and data cables separately
- Enhances the aesthetics of the work space
- Available Length: 1300mm

DESK GROMMET (CABLE ORGANIZER)



Features:

- Round desk grommet design for clean cable routing
- Sliding/rotating cover for easy cable access
- Supports multiple cables (power, data, HDMI, etc.)
- Snap-fit installation (quick & tool-free)
- Smooth edges to prevent cable damage
- Available Finish: Black, White, Brown

Product Code	PACK SIZE
OE-CO-60 WH	20 PCS. IN ONE PACKET
OE-CO-60 BL	
OE-CO-60 BR	

*Note: Available Against Firm Orders



ELECTRIC SOCKET ORGANIZER

New



Scan QR for
Product Video

ELECTRIC FLIP SOCKET ORGANIZER



Features

- Touch Sensor based electric rotation design
- Wireless charging for convenient, cable-free power
- Compact, flip design hides socket within desk when not in use
- Built-in blocking protection for enhanced safety
- Made of corrosion-resistant, wear-resistant aluminum alloy
- Hassle-free installation with a simple cut-out on the table

Specifications

- Available Ports: D-Type Electrical Plug-2 Nos. | USB Charger-2 Nos. | 15W Wireless Charger-1 No.
- Power Cord Length: 1.5m
- USB Charger: 5V/2.1A
- Product Panel Size: 391x120mm
- Material: Aluminium Case
- Finish: Silver & Black
- Cut-Out Size: 381x110mm

Usage: Touch the sensor to flip the socket organizer for use, touch again for flip to close

Product Code

OE-ESO66-FS-E-WC STD SILVER

OE-ESO66-FS-E-WC STD BLACK

MANUAL FLIP SOCKET ORGANIZER



Features

- Push type manual rotation design for space-saving and modern offices
- Compact, flip design hides socket within desk when not in use
- Made of corrosion-resistant, wear-resistant aluminum alloy
- Hassle-free installation with a simple cut-out on the table

Specifications

- Available Ports: D-Type Electrical Plug-3 Nos. | USB Charger-2 Nos.
- Available Switch For Power On & Off
- Power Cord Length: 1.5m
- Usb Charger: 5V/2.1A
- Product Size: 289x110x105mm
- Material: Aluminium Case In The Middle+Plastic On Both Sides
- Finish: Silver & Black
- Cut-Out Hole Size: 257x103mm

Usage: Push down to flip the socket organizer for use, push on opposite side for flip to close

Product Code

OE-ESO55-FS-M STD SILVER

OE-ESO55-FS-M STD BLACK

FLAP POP-UP SOCKET ORGANIZER

With Wireless Charger



Features

- Spring based push type pop-up box with wireless charging (15W)
- Smooth pop-up mechanism in a 45-degree angle with damped spring structure
- Space-saving design, pops up when in use and hides away nearly flush with the surface when not in use
- Wireless charger can be used in closed position as well

Specifications

- Available Ports: D-Type Electrical Plug-2 Nos. | USB - A Socket-2 Nos. | 15W Wireless Charger
- Top Panel Size: 250x130mmx130mm
- Power Cord Length: 1.5m
- USB Charger: 5V/2.1A
- Material: Aluminium
- Finish: Black
- Cut-Out Size: 242x121mm
- Usage: Push Down The Flap and it automatically pop-up at 45degree for easy plug-in

Product Code

OE-ESO33-POWC STD BLACK

ELECTRIC POWER TRACK



Features

- Flexible power access at any point along the track
- Power tracks provide a continuous, protected power supply
- Power tracks have a sleek appearance that integrates well into modern interiors.
- Power Adapters can slide along power track for flexible use
- Hassle-free Installation, removal, and re-positioning inside power track

Specifications

- Power Track Dimension: 600x86x21mm & 1000x86x21mm
- Rated Voltage/Frequency/Amps: AC 100-250V / 50HZ / 32-64A
- Output Power: 8000W
- Copper Conductor Cross Section : 6.8mm X2
- Material: Aluminum Alloy Case + Silicon Strip + PC Cover
- Finish: Black
- Cut-Out Size (600 | 1000mm): 590x72x25mm | 990x72x25mm

Product Code

OE-ESO77-FMPT 600MM BLACK

OE-ESO77-FMPT 1000MM BLACK

ELECTRIC POWER ADAPTER



Note: Insert and move the power adapter in track to convenient position and rotate clockwise to activate power

Features

- Power Socket for sliding into power track for flexible use
- Universal D-type adapter & USB type A & C
- Slim acrylic and aluminum alloy case
- Equipped with a blue LED ring (D-type adapter)
- Hassle-free Installation, removal, and re-positioning

Specifications

- Adapter Type1: D-Type Socket Adapter With LED
- Adapter Type2: USB A & USB C Type
- Input Voltage: AC90-250V
- USB A + Type-C Output :20W
- Material: Aluminium Alloy + Case Plastic
- Finish: Black

Product Code

OE-ESO77-PTSA-U3H STD BLACK

OE-ESO77-PTSA-USBC STD BLACK

PUSH POP-UP SOCKET ORGANIZER



Features

- Push pop-up type socket organiser
- Easy push based spring mechanism for driving out the sockets
- Three ways to charge/plug your devices
- Four sides with 4 D-type Socket and 20W USB-A & USB-C type sockets
- Equipped with wireless charger (15W) on top and can be used even in closed state
- Hassle-free Installation

Specifications

- Available Ports: 4 Universal Outlet 20W | USB A+C | 15 W Wireless Charger
- Power Cord Length: 1.5m
- Height Under-Table: 200mm
- Input Voltage: AC90-250V
- Power: Max 1500W
- Material: ABS Plastic
- Finish: Black
- Cut-Out Size: 98-100mm Dia Hole

Usage: press the top, the socket will rise; press the top to lower and hide the socket in the desk

Product Code

OE-ESO44-PPO STD BLACK

FLAP POP-UP SOCKET ORGANIZER



Features

- Spring based push button type pop-up box
- Smooth pop-up mechanism in a 45-degree angle with damped spring structure
- Space-saving design, pops up when in use and hides away nearly flush with the surface when not in use

Specifications

- Available Ports: D-Type Electrical Plug-2 Nos. | USB Charger-2 Nos.
- Top Panel Size: 262x120mm
- Bottom Box Size: 222x108x65mm
- Power Cord Length: 1.5m
- USB Charger: 5V/2.1A
- Material: Aluminium Cover+Iron Bottom Box
- Finish: Silver/ Black
- Cut-Out Size: 224x109mm

Usage: Push button on panel to pop-up the socket panel and push back the pop-up flap to close

Product Code
OE-ESO22-PO STD SILVER
OE-ESO22-PO STD BLACK

UNDER TABLE SOCKET ORGANIZER



Features

- Under table screw-on type socket organizer
- For use in below desk tops/ overhead units
- Space-saving design

Specifications

- Available Ports: D-Type Universal Socket- 2 Nos. | USB- A Socket- 2 Nos.| Cat 5 Lan Cable Socket-1 Nos. | Telephone Line Socket-1 Nos.
- Power Cord Length: 1.5m
- Available Switch For Power On & Off
- USB Charger: 5V/2.1A
- Material: Aluminium FramePlastic Intersurface
- Finish: Black

Usage: Simply plug your device and use


Product Code
OE-ESO11-UTM STD BLACK



KITCHEN WIRE BASKET

SPEEDY SERIES

PLAIN BASKET



Features

- Plain basket for use with ball bearing drawer runner
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Basket Finish: Chrome

Product Code (450mm/18inches)	Basket size(WxDxH)
OZS-WB-P 15x18x6 CP	378x450x150 mm
OZS-WB-P 15x18x8 CP	378x450x200 mm
OZS-WB-P 17x18x4 CP*	429x450x100 mm
OZS-WB-P 17x18x6 CP	429x450x150 mm
OZS-WB-P 17x18x8 CP	429x450x200 mm
OZS-WB-P 19x18x6 CP	479x450x150 mm
OZS-WB-P 19x18x8 CP	479x450x200 mm
OZS-WB-P 21x18x6 CP	530x450x150 mm
OZS-WB-P 21x18x8 CP	530x450x200 mm

Product Code (500mm/20inches)	Basket size(WxDxH)
OZS-WB-P 15x20x4 CP	378x500x100 mm
OZS-WB-P 15x20x6 CP	378x500x150 mm
OZS-WB-P 15x20x8 CP	378x500x200 mm
OZS-WB-P 17x20x4 CP	429x500x100 mm
OZS-WB-P 17x20x6 CP	429x500x150 mm
OZS-WB-P 17x20x8 CP	429x500x200 mm
OZS-WB-P 19x20x4 CP	479x500x100 mm
OZS-WB-P 19x20x6 CP	479x500x150 mm
OZS-WB-P 19x20x8 CP	479x500x200 mm
OZS-WB-P 21x20x4 CP	530x500x100 mm
OZS-WB-P 21x20x6 CP	530x500x150 mm
OZS-WB-P 21x20x8 CP	530x500x200 mm




Product Code (550mm/22inches)	Basket size(WxDxH)
OZS-WB-P 15x22x4 CP	378x550x100 mm
OZS-WB-P 15x22x6 CP	378x550x150 mm
OZS-WB-P 15x22x8 CP	378x550x200 mm
OZS-WB-P 17x22x4 CP	429x550x100 mm
OZS-WB-P 17x22x6 CP	429x550x150 mm
OZS-WB-P 17x22x8 CP	429x550x200 mm
OZS-WB-P 19x22x4 CP	479x550x100 mm
OZS-WB-P 19x22x6 CP	479x550x150 mm
OZS-WB-P 19x22x8 CP	479x550x200 mm
OZS-WB-P 21x22x4 CP	530x550x100 mm
OZS-WB-P 21x22x6 CP	530x550x150 mm
OZS-WB-P 21x22x8 CP	530x550x200 mm

*Available against lead time of 50 Days

BASKET INSERTS


Features

- Basket Inserts for conveniently storing kitchen essentials
- Equipped with connector for fixing with basket
- Insert Length: 500/550 mm
- Finish: Chrome

Image	Product Code (500mm/20inches)	Product Code (550mm/22inches)
	OZS-WB-CS-HP 20x3 CP	OZS-WB-CS-HP 22x3 CP
	OZS-WB-PL-HP 20x5 CP	OZS-WB-PL-HP 22x5 CP
	OZS-WB-TH-HP 20x7 CP	OZS-WB-TH-HP 22x7 CP
	OZS-WB-P-HP 20x4 CP	OZS-WB-P-HP 22x4 CP
	OZS-WB-P-HP 20x6 CP	OZS-WB-P-HP 22x6 CP
	OZS-WB-P-HP 20x8 CP	OZS-WB-P-HP 22x8 CP

*Available against lead time of 50 Days

PERFORATED CUTLERY BASKET

**Features**


- Special Perforated metal sheet cutlery wire basket for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Basket Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-C 15x18x4 CP	378x450x100 mm
OZS-WB-C 17x18x4 CP	429x450x100 mm
OZS-WB-C 19x18x4 CP	479x450x100 mm
OZS-WB-C 21x18x4 CP	530x450x100 mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-C 15x20x4 CP	378x500x100 mm
OZS-WB-C 17x20x4 CP	429x500x100 mm
OZS-WB-C 19x20x4 CP	479x500x100 mm
OZS-WB-C 21x20x4 CP	530x500x100 mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-C 15x22x4 CP	378x550x100 mm
OZS-WB-C 17x22x4 CP	429x550x100 mm
OZS-WB-C 19x22x4 CP	479x550x100 mm
OZS-WB-C 21x22x4 CP	530x550x100 mm

CUP & SAUCER BASKET

**Features**


- Basket with prefixed saucer insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Basket Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-CS 15x18x4 CP	378x450x100 mm
OZS-WB-CS 17x18x4 CP	429x450x100 mm
OZS-WB-CS 19x18x4 CP	479x450x100 mm
OZS-WB-CS 21x18x4 CP	530x450x100 mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-CS 15x20x4 CP	378x500x100 mm
OZS-WB-CS 17x20x4 CP	429x500x100 mm
OZS-WB-CS 19x20x4 CP	479x500x100 mm
OZS-WB-CS 21x20x4 CP	530x500x100 mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-CS 15x22x4 CP	378x550x100 mm
OZS-WB-CS 17x22x4 CP	429x550x100 mm
OZS-WB-CS 19x22x4 CP	479x550x100 mm
OZS-WB-CS 21x22x4 CP	530x550x100 mm

PLATE BASKET



Features


- Basket with prefixed plate insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Basket Finish: Chrome

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-PL 15x20x6 CP	378x500x150 mm
OZS-WB-PL 17x20x6 CP	429x500x150 mm
OZS-WB-PL 19x20x6 CP	479x500x150 mm
OZS-WB-PL 21x20x6 CP	530x500x150 mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-PL 15x22x6 CP	378x550x150 mm
OZS-WB-PL 17x22x6 CP	429x550x150 mm
OZS-WB-PL 19x22x6 CP	479x550x150 mm
OZS-WB-PL 21x22x6 CP	530x550x150 mm

*Available against lead time of 50 Days

THALI BASKET



Features

- Basket with prefixed thali insert for use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner separately
- Basket Finish: Chrome

Product Code (450mm/18inches)	Basket Size (WxDxH)
OZS-WB-TH 15x18x8 CP	378x450x200 mm
OZS-WB-TH 17x18x8 CP	429x450x200 mm
OZS-WB-TH 19x18x8 CP	479x450x200 mm
OZS-WB-TH 21x18x8 CP	530x450x200 mm

Product Code (500mm/20inches)	Basket Size (WxDxH)
OZS-WB-TH 15x20x8 CP	378x500x200 mm
OZS-WB-TH 17x20x8 CP	429x500x200 mm
OZS-WB-TH 19x20x8 CP	479x500x200 mm
OZS-WB-TH 21x20x8 CP	530x500x200 mm

Product Code (550mm/22inches)	Basket Size (WxDxH)
OZS-WB-TH 15x22x8 CP	378x550x200 mm
OZS-WB-TH 17x22x8 CP	429x550x200 mm
OZS-WB-TH 19x22x8 CP	479x550x200 mm
OZS-WB-TH 21x22x8 CP	530x550x200 mm

GRAIN TROLLEY BASKET


**Features**

- Basket for storage of heavy items & use with ball bearing drawer runners
- Basket also equipped with prefixed ball bearing runner clamps
- Order pull out mechanism separately
- Basket Finish: Chrome

Note: Order ball bearing slides (500mm) or grain trolley mechanism (21") separately

Product Code (500mm/20inches)	Basket size (WxDxH)
OZS-WB-G 15x20x8 CP	378x500x200 mm
OZS-WB-G 17x20x8 CP	429x500x200 mm
OZS-WB-G 19x20x8 CP	479x500x200 mm
OZS-WB-G 21x20x8 CP	530x500x200 mm
OZS-WB-GTMECH 21" GREY	Grain trolley pull out mechanism


VEGETABLE BASKET

**Features**

- Basket for open storage of vegetables and fruits & use with ball bearing drawer runners
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing runner (500 mm) separately
- Basket Finish: Chrome

Product Code (500mm/20inches)	Basket size (WxDxH)
OZS-WB-V 15x20x6 CP	378x500x150 mm
OZS-WB-V 17x20x6 CP	429x500x150 mm

DETERGENT HOLDER



Features

- Wire based double decker rack for keeping detergents and cleaning agents
- For fixing onto hinged cabinet shutter
- Min cabinet width: 300 mm
- Basket Finish: Chrome


Product Code (500mm/20inches)	Basket size (WxDxH)
OZS-W-D 150x450MM CP	253x155x383 mm

BOTTLE PULL-OUT


Features

- Wire basket based narrow pull out units for conveniently storing bottles and small boxes
- Basket equipped with prefixed ball bearing runner clamps
- Order ball bearing slides (450/500mm) separately
- Basket Finish: Chrome

Image	Product Code (450mm/18inches)
	OZS-W-BPO-3S 150x450MM CP
	OZS-W-BPO-3S 200x450MM CP

Image	Product Code (500mm/20inches)	Basket size (WxDxH)
	OZS-W-BPO-2S 100x500MM CP	98x500x450 mm
	OZS-W-BPO-2S 150x500MM CP	150x500x450 mm
	OZS-W-BPO-2S 200x500MM CP	200x500x450 mm
	OZS-W-BPO-3S 150x500MM CP	150x500x525 mm
	OZS-W-BPO-3S 200x500MM CP	200x500x525 mm
	OZS-W-BPO-3S 250x500MM CP	250x500x525 mm

DISH RACK



Features

- Wire based dish rack to be used in overhead cabinets for keeping wet utensils
- Come in set for plate, thali tray & multi purpose tray
- Supplied with connectors for cabinet side wall
- Finish: Chrome

Product Code	Basket size(WXD)
OZS-W-DR 600MM CP	600x250 mm
OZS-W-DR 800MM CP	800x250 mm
OZS-W-DR 900MM CP	900x250 mm

BIN HOLDER




Features

- Wire based waste bin holder for discarding kitchen waste
- Basket equipped with prefixed clamps for installation on cabinet hinged shutter
- Finish: Chrome

Product Code	Basket size(dia X H)
OZS-W-BH STD CP	275x205 mm

CYLINDER TROLLEY



Features

- Wire based wheeled trolley for keeping cooking gas cylinders
- Basket with wheels for easy movement
- Load carrying Capacity: 40Kg
- Finish: Chrome

Product Code	Basket size(dia X H)
OZS-W-CT STD CP	315x125 mm

International Offices



Dubai, UAE

OZONE MEA TRADING LLC
Office no 129, Al Uruba Business
center, garhoud views building,
mezzanine floor (M1-3) Al
Garhoud, PO Box 430704,
Dubai UAE.

Works

Cluster-1

Ozone Overseas Pvt. Ltd.
Trilokpur Road, Kheri,
Nahan District-Sirmour,
Kala Amb,
Himachal Pradesh

Cluster-2

Ozone Overseas Pvt. Ltd.
Industrial Area Ghiloth,
Alwar,
Rajasthan

Experience Centres

New Delhi

Mehrauli-Gurgaon Road,
Opp. Metro Pillar No-94,
Gadaipur, Sector-28,
New Delhi - 110030

Bengaluru

Building No. 62, Asha Pearl,
100 Feet Rd, Defence Colony,
Indiranagar, Bengaluru,
Karnataka 560038

Mohali

259-260, Ground Floor,
Mohali City Center-2, Block F,
SAS Nagar, Gmada Aerocity,
Sahibzada Ajit Singh Nagar,
Punjab 140306

Jaipur

S9, S10, New Aatish Market,
Metro Pillar Number 46, Near
HDFC Bank, Jaipur-302020,
Rajasthan

Branch Offices

Ahmedabad

407, 4th Floor, Shivalik Abaise,
Opp. Shell Petrol Pump,
Pralhadnagar,
Ahmedabad - 380051
Tel: +91 079 29706789

Bengaluru

No. 424, 2nd Floor, Above
HDFC Bank,
Passport Office Road, 6th block,
Koramangala, Bengaluru - 560034
Tel: +91 80 41207539
blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra
Near Solitaire Hotel,
Chandigarh - 160101
Mob: +91 9316001154

Chennai

1-A, Jasoda Apartments,
No: 12, Ground Floor, Bank Street,
Kilpauk, Chennai - 600010.
Tel: 044 43802063

Cochin

Ozone Overseas Pvt Ltd.
Room No. BO, 1st Floor, G 142,
Street A, Panampilly Nagar,
Ernakulam 682036

Hyderabad

Unit # 704, 7th Floor,
Shangrila Plaza,
Road No. 2, Banjara Hills,
Hyderabad - 500034

Jaipur

27, 5th Floor, Mahima Trinity Mall,
Swey Farm, New Sanganer Road,
Jaipur-302019
Tel: +91 141 2294261
jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor,
Room No:- 4H
Delta House. Kolkatta - 700001
Mob: +91 9831176481

Pune

#105, 1st Floor, Suyog Center
Market Yard, Gultekdi,
Pune - 411037
Mob: +91 7678117567

Mumbai

The Avenue, 607,
Near Waterstones Hotel,
Int. Airport Road,
Marol, Andheri (E),
Mumbai - 400059
Tel : +91 22 28306453
Mob: +91 7045775977

Surat

201, Luxuria Business Hub,
Nr.V.R.Mall, Surat-Dumas Road,
New Magdalla Road,
Surat - 395007
Mob: +91 9724009921

Visakhapatnam

Door No 48-3-39, Sarayu Residency
Srinagar, Opp. Day and Night
Hospital, Visakhapatnam
A.P. - 530016
Mob: +91 9515156438

*Also Operation Office



Website



Android



iOS

Specifications subject to change without notice



Registered Office: H-40, Bali Nagar, New Delhi - 110015, INDIA

Corporate Office: 137, Shankar Chowk Rd, Udyog Vihar Phase 1,
Sector 20, Gurugram, Haryana 122016

www.ozone.in | Customer Care: +91 9310012300 | customercare@ozone.in